author index

Index of Issues: July, pp 1-152; August, pp 153-312; September, pp 313-480; October, pp 481-660; November, pp 661-812; December, pp 813-972. Page numbers beginning with S denote articles in the December Pathology Patterns Reviews.

A

Abati, Andrea, 870 Abella, E., 582 Abreu, Eliane S., 25 Agoff, S. Nicholas, 727 Agrawal, Neeta N., 235 Ahmed, Iftikhar, 773 Akin, Cem, 242 Al-Kuran, Rasha A., 887 Alawi, Faizan, S50 Albitar, Maher, 560 Almagro, Urias, 895 Alvarez, Cesar, 67 Amin, Mahul B., 202 Anderson, Elizabeth, 408 Annesley, Thomas M., 124 Aoun, Patricia, 765 Argani, Pedram, 742 Argani, Peter, 52 Arndt, Patricia A., 256 Asare, Adam L., 567 Asch. Bonnie B. 451 Asch, Harold L., 451 Ashfaq, Raheela, 52, 194 Asma, Zeenat, 895 Asplund, Sheryl L., 758 Asschenfeldt, Pia, 85 Astion, Michael L., 494 Aubert, Jean-Pierre, 47 Aust, Gabriela, 699

Bacchi, Carlos E., 25 Bacchi, Maura M., 25 Baisden, Blaire L., 742 Balaton, André J., 408 Baloch, Zubair W., 165 Barnett, Gene H., 512 Barranco, Carlos, 749

Austin, R. Marshall, 714

Barry, Todd S., 589 Battafarano, Daniel F., 14 Baudrimont, Marielle, 211 Behm, Frederick G., 248 Belaud-Rotureau, Marc A., 832 Berga, Ll., 582 Berger, Carol S., 216 Berner, Aasmund, 85 Beylot-Barry, Marie, 832 Birdsong, George, 714 Birembaut, Philippe, 708 Biswas, Rajesh, 382 Blakey, Gregory L., 323 Blanes, Alfredo, 93 Blumberg, Neil, 376 Blute, Michael L., 877 Boltze, Carsten, 699 Borowitz, Michael J., 229 Bory, Jean-Paul, 708 Bouttens, Dominique, 708 Brooks, John S., 451 Bruckner, David A., 287 Brunning, Richard D., 780 Bryant-Greenwood, Peter K., 870 Brydon, Lena, 451 Bryne, Magne, 85 Buck, Henry W., 714 Buisine, Marie-Pierre, 47

Cabanillas, Fernando, 328 Caldwell, Charles W., 567 Cameron, John L., 52, 194 Carpenter, Philip M., 887 Casey, Graeme J., 269 Casey, Thomas J., 14 Castilla, Elias A., 512 Cerilli, Lisa A., 186 Chan, Wing C., 765 Chatelain, Denis, 211 Chavan, Ashwini, 895 Chen, Ahchean, S93 Cheney, Richard T., 451 Cheville, John C., 877 Chhieng, David C., 418, 930 Chiang, Hung, 693 Christensen, Jette, 85 Chun, Kelly Y., 856 Cioc, Adina M., 842 Clavel, Christine, 708 Cohen, Michael B., 527 Cohen, Patti, 216 Collins, Robert H., 848 Copin, Marie-Christine, 47 Cortes, Jorge, 560 Courville, Philippe, 832 Cowles, Judith W., 376 Cox, J. Thomas, 714 Cucherousset, Joël, 708

D Daley, Trisha, 242 Darragh, Teresa M., 714 Dasgupta, Amitava, 132 Davey, Diane D., 714 Davidson, Ben, 85 Day, Sarah J., 41 de Almeida, Sérgio M., 864 de Bolós, Carme, 749 Dean, Thomas, 727 Deszo, Eric L., 41 Dez, Francine, 708 Diaz-Cano, Salvador J., 93 Diebold, Joachim, 922 Dighe, Anand S., S18 Dillman, Christine A., 235 Dillon, Dionne C., 451 Dodson, Andrew R., 408 Doi, Elvira M., 864

Domínguez, Francisco, 67 Dong, Henry Y., 216 Dong, Hiep Phuc, 85 Dong, Qun, S71 Dooley, David P., 14 Dorvault, Christine C., 930 Dubus, Pierre, 832 Dudley, Thomas H., 186 Dumler, J. Stephen, 742 Duncan, Elizabeth M., 269 Dunne, W. Michael, 542

Easley, Samantha E., 451 Eichbaum, Quentin, S3 Elder, David E., 489 Elgert, Paul A., 714 Elgui de Oliveira, Deilson, 25 Ellis, Jason S., 567 Eltoum, Isam A., 418, 930 Eshleman, James R., 229 Estey, Elihu, 560

Evrard, Ghislaine, 708

E

Fadlalla, Adam, 179
Falcão, Roberto P., 31
Favaloro, Emmanuel J., 269, 548
Feliu, E., 582
Fetsch, Patricia A., 870
Filie, Armando C., 870
Fisher, David E., 930
Flaherty, Lawrence E., 504
Flejou, Jean-François, 211
Fletcher, Christopher D.M., 163
Fletcher, Jonathan A., 163
Flood, James G., 856
Foti, Joseph A., 399
Frank, Elizabeth L., 124

Freireich, Emil, 560 Freund, Gregory G., 41

G

Gabbert, Helmut E., 60 Galanakis, Dennis K., 263 Garcia, Aglair B., 31 Garratty, George, 256 Geddert, Helene, 60 Genega, Elizabeth M., 903 Giles, Francis, 560 Gimotty, Phyllis A., 489 Giroti, Rajiv I., 382 Glickman, Jonathan N., 911 Goggins, Michael, 52 Goldstein, Neal S., 425, 719 González, María V., 67 Gorczyca, Wojciech, 216 Gosselin, Bernard, 47 Goto, Hidemi, 683 Granada, I., 582 Greiner, Timothy C., 765 Grieco, Verena S., 727 Grizzle, William H., 733 Gröne, Hermann-Josef, 364 Guerry, DuPont, 489 Gunn, Carla R., 194 Gunzer, Florian, 364

Н Hamann, Jörg, 699 Han, Xiang Y., 796 Hanson, Vivien, 714 Happe, Marc R., 14 Harris, Kenneth R., S18 Hartke, Marybeth, 512 Hayakawa, Tetsuo, 683 Heal, Joanna M., 376 Healy, James C., 172 Heeren, Bobbi, 542 Heise, Joachim W., 60 Hennig-Pauka, Isabel, 364 Henricks, Walter H., 172, 179 Henry, E. Charlene, 248 Henry, Michael R., 714 Herrero, Agustín, 67 Hertzberg, Mark, 269 Hicks, George L., Jr., 376 Hill, Harry R., 346 Hinrichs, Steven H., 536 Ho, Donald Ming-Tak, 693 Hoang, Mai P., 848 Hoda, Syed A., 101 Hruban, Ralph H., 52, 194 Hsu, Chih-Yi, 693 Huh, Yang, 560 Humphrey, Peter A., 442 Hunt, Jennifer L., S116 Hurd, Thelma, 451

Iacobuzio-Donahue, Christine, Ingalls-Severn, Kathy, 727 Iwen, Peter C., 536

Jaffe, Elaine S., 242, 589 Januzzi, James, S93 Jasani, Bharat, 202, 408 Jaskowski, Troy D., 346 Jewell, Scott D., 733 Jhala, Darshana N., 418 Jhala, Nirag C., 418 Jilani, Iman, 560 Jockers, Ralf, 451 Joe, Youngson, 560 Johansen, Preben, 85 Joly, Pascal, 832 Jones, Alana K. Bergstrome, 18 Jones, Dan, 328, 574 Juenke, JoEtta, 124

Kanatani, Meganne, 287 Kantarjian, Hagop, 560 Keating, Michael, 560 Kern, Scott E., 52 Kim, Sara, 494 Kingma, Douglas W., 589 Kirkley, Scott A., 376 Kirshenbaum, Arnold S., 242 Koepke, John A., 11 Komorowski, Richard A., 895 Kratz, Alexander, 856 Kreipe, Hans-Heinrich, 364, 675 Kroft, Steven H., 758, 848 Kung, Fred Y.L., 522

Kurtin, Paul J., 391

Lae, Marick E., 773 Lai, Chiung-Ru, 693 Lai, Raymond, 328 Laszik, Zoltan G., 323 Lau, Tai-shing, 522 Law, Bonita K.B., 522 Lawnicki, Lyle C., 765 Lee, C. Soon, 522 Lee-Lewandrowski, Elizabeth. 856 Lenormand, Bernard, 832 Lepidi, Hubert, 742 Lerda, Nancy V., 269 Leroy, Xavier, 47 Lewandrowski, Kent B., 856,

Lewis, James S., Jr., 442 Li, Shiyong, 229 Lien, Elizabeth A., 536 Lin, Oscar, 418 Lin, Shang-Che, 179 Linscott, Andrea J., 287 Liotta, Lance A., 870 Lipman, Harvey B., 278 Litwin, Christine M., 346 Liu, P.Y., 504 Liu, Zach, 216 LiVolsi, Virginia A., 165, 733 Lloyd, John V., 269 Löhrs, Udo, 922 Lohse, Christine M., 877 Lones, Mark A., 335 López-Ferrer, Anna, 749 Lorenzato, Marianne, 708 Lorsbach, Robert B., 248 Lu, Dongsi, 542 Luthra, Rajyalakshmi, 796

M

Machhi, Jinobya, 895 MacLennan, Greg, 733 Macon, William R., 773 Maitra, Anirban, 52, 194 Malkowicz, Bruce, 903 Manshouri, Taghi, 560 Marconi, Sharon, 73 Marincola, Francesco M., 870 Marlowe, Elizabeth M., 287 Martin, Alvin W., 589 Martinez, Armando, 93 Martins, Sérgio L.R., 31 Martins, Thomas B., 346 Matsumura, Fumio, 335 Matussek, Andreas, 364 McCart, Linda M., 733 McDonnell, Timothy J., 328 McHale, Teresa, 903 McKenna, Robert W., 758, 848 Medeiros, L. Jeffrey, 328, 574 Meijer, Jos W.R., 459 Mengel, Michael, 364, 675 Merlio, Jean P., 832 Metcalfe, Dean D., 242 Meyer, Pamela, 787 Meyer, Renee, 52 Meyerson, Howard J., 235 Millá, F., 582 Mills, Stacey E., 186 Moran, Cesar A., 418 Morgan, Meleri, 202 Morice, William G., 391 Morrison, Carl, 435 Moskaluk, Christopher A., 186, 669 Mourra, Najat, 211 Mukherjee, Kanchan, 382

Mukunyadzi, Perkins, S100 Mulder, Chris J.J., 459 Müller-Hermelink, Hans Konrad, 675 Murphy, Frederick T., 14 Myers, Jeffrey L., 391

Naeem, Rizwan, 73 Nagasaka, Tetsuro, 683 Nakashima, Nobuo, 683 Nash, Gerald, 73 Nash, Shirin, 73 Neff, James R., 536 Nelson, Amanda, 494 Nielsen, Søren, 85 Niero-Melo, Ligia, 25 Niimi, Chikanori, 683 Niwa, Yasumasa, 683 Nixon, Brigette K., 727 Noel, Pierre, 242 Nou, Jean-Marie, 708 Nuovo, Gerard J., 842

Ohmiya, Naoki, 683 Onciu, Mihaela, 248 Ono, Margaret, 864 Oriol, A., 582 Osei, Ebenezer S., 235

Panteghini, Mauro, 354 Parc, Rolland, 211 Parker, Elizabeth M., 399 Parrens, Marie, 832 Pasi, Brian M., 346 Paye, François, 211 Peiró, Gloria, 922 Persoon, Thomas J., 527 Petricoin, Emmanuel F., 870 Pettay, James, 512 Pham, Audrey S., 796 Pickering, Jerry W., 346 Pinkus, Geraldine S., 335, 911 Pinkus, Jack L., 335, 911 Pittaluga, Stefania, 589 Poon, Annette, 18 Porchet, Nicole, 47 Portieres, Fernando L., 31 Prayson, Richard A., 512 Putti, Thomas C., 522

Queiroz-Telles, Flávio, 864 Quereux, Christian, 708 Quinn, Diana M., 269

Raffeld, Mark, 242, 589 Rahman, Ayman, 52, 194 Rao, R. Nagarjun, 895 Raoult, Didier, 742 Rassidakis, George Z., 328 Reiss, Errol, 278 Rennie, Thomas A., 14 Renshaw, Andrew A., 82, 208, 518 Reverter, J.C., 582 Rhodes, Anthony, 408 Ribera, J.M., 582 Rinker, Linda, 727 Risberg, Bjørn, 85 Risher, William H., 376 Rizzatti, Edgar G., 31 Roberts, William L., 124 Rodgers, Susan E., 269 Rodrigo, Juan P., 67 Rosen, Paul Peter, 101 Rosner, Eunice R., 278 Rozman, C., 582 Rubin, Eric J., S3 Rubio, Javier, 93 Rüdiger, Thomas, 675 Rumpel, Craig A., 186

S

Said, Jonathan W., 335 Samuel, Prem K., 376 Sánchez-Planell, L., 582 Sandhaus, Linda M., 235, 787 Sandhoff, Roger, 364 Sarbia, Mario, 60 Schütz, Alexander, 699 Schwarz, Elisabeth L., 124 Scoazec, Jean-Yves, 211

Rupp, Mark E., 536

Scolyer, Richard A., 522 Sedmak, Daniel D., 733 Sen, Filiz, 328 Seykora, John T., S33 Shadomy, H. Jean, 278 Sheffield, Matthew V., 930 Shidham, Vinod B., 895 Siegal, Gene P., 930 Siegel, Arthur J., 856 Sikorska, Krystyna, 73 Silva, Dirceu E., 31 Silvestrini, Roger, 548 Simone, Nicole L., 870 Simsir, Aylin, 418 Smith, Eve Y., 263 So, Chi-chiu, 225 Sohn, Taylor A., 52, 194 Sondak, Vernon K., 504 Sood, Pramila K., 796 Sorbara, Lynn, 589 Srinivasan, Mythily, 733 Stancu, Mirela, 574 Stanley, Michael W., 825 Steinert, Matthias, 699 Stephenson, Christine F., 216 Storm, Craig A., S33 Stowell, Christopher P., S71 Suárez, Carlos, 67 Szallasi, Arpad, i 10

Tamboli, Pheroze, 202 Tarrand, Jeffrey J., 796 Terrazas, Enrique, 494 Theuer, Charles P., 887 Thil, Corinne, 708 Thomaides, Athanasios, 328 Thomas, Deborah, 560 Tomaszewski, John E., 903

Torlakovic, Emina, 780 Torlakovic, Goran, 780 True, Lawrence D., 827 Tsang, Patricia, 216 Tse, Gary M.K., 522 Tubbs, Raymond R., 512 Tuthill, Ralph J., 504

Unger, Joseph M., 504

Van Cott, Elizabeth M., 263, 856 Van Lente, Frederick, 179 Varma, Murali, 202 Vega, Francisco, 574 Veligandla, Shailaja R., 536 Vergier, Béatrice, 832 Versalovic, James, S26 Vollmer, Robin T., 442 von Wasielewski, Reinhard, 675

W

Wahab, Peter J., 459 Wahlbuhl, Mandy, 699 Wakely, Paul E., Jr., 435 Waldman, Jeffrey, 714 Waldmann, Karl-Heinz, 364 Ward, John A., 14 Warren, Nancy G., 278 Wasik, Mariusz A., S81 Weaver, Amy L., 877 Weilbaecher, Katherine N., 930 Weisberger, James, 216 Weisenburger, Dennis D., 765 Werneck, Lineu C., 864

Wickert, Robert S., 765 Wieczorek, Tad J., 911 Wiese, Birgitt, 675 Wilbur, David C., 399 Wilentz, Robb E., 52, 194 Williams, Nita, 733 Wilson, Michael L., 167 Winston, Janet S., 451 Wobus, Manja, 699 Wolfe, Hubert J., 93 Wolter, Marietta, 60 Wong, Kit-fai, 225 Wu, C. Daniel, 216

Xu, Yin, 758, 848

Yamashiro, Shigeko, 335 Yang, Ching-Fen, 693 Yardley, John H., 742 Yared, Marwan, 560 Yee, Herman, 930 Yeo, Charles J., 52, 194 Young, Donn C., 435 Young, Paul, 832 Yu, I-Ting, 693

Zaleski, M. Sue, 527 Zerimech, Farid, 47 Zeriouh, Mohamed, 60 Zhang, Mancong, S26 Zincke, Horst, 877 Zini, Laurent, 47

ology

title index

Index of Issues: July, pp 1-152; August, pp 153-312; September, pp 313-480; October, pp 481-660; November, pp 661-812; December, pp 813-972. Page numbers beginning with S denote articles in the December Pathology Patterns Reviews.

ANATOMIC PATHOLOGY

Case Report

Unilocular Acinar Cell Cystadenoma of the Pancreas: An Unusual Acinar Cell Tumor

Denis Chatelain, François Paye, Najat Mourra, Jean-Yves Scoazec, Marielle Baudrimont, Rolland Parc, and Jean-François Flejou, 211

Original Articles

Analysis of the Molecular Quality of Human Tissues: An Experience From the Cooperative Human Tissue Network Scott D. Jewell, Mythily Srinivasan, Linda M. McCart, Nita Williams, William H. Grizzle, Virginia LiVolsi, Greg MacLennan, and Daniel D. Sedmak, 733

ASCCP Patient Management Guidelines: Pap Test Specimen Adequacy and Quality Indicators

Diane D. Davey, R. Marshall Austin, George Birdsong, Henry W. Buck, J. Thomas Cox, Teresa M. Darragh, Paul A. Elgert, Vivien Hanson, Michael R. Henry, and Jeffrey Waldman, 714

Can Mucinous Lesions of the Breast Be Reliably Diagnosed by Core Needle Biopsy?

Andrew A. Renshaw, 82

Carcinoma Extent in Prostate Needle Biopsy Tissue in the Prediction of Whole Gland Tumor Volume in a Screening Population

James S. Lewis, Jr, Robin T. Vollmer, and Peter A. Humphrey, 442 CAS (Cellular Apoptosis Susceptibility) Gene Expression in Ovarian Carcinoma: Correlation With 20q13.2 Copy Number and Cyclin D1, p53, and Rb Protein Expression

Gloria Peiró, Joachim Diebold, and Udo Löhrs, 922 CD97, but Not Its Closely Related EGF-TM7 Family Member EMR2, Is Expressed on Gastric, Pancreatic, and Esophageal Carcinomas

Carcinomas
Gabriela Aust, Matthias Steinert, Alexander Schütz, Carsten
Boltze, Mandy Wahlbuhl, Jörg Hamann, and Manja Wobus, 699
Chromosome Ip Allelic Loss by Fluorescence In Situ Hybridization
Is Not Observed in Dysembryoplastic Neuroepithelial Tumors
Richard A. Prayson, Elias A. Castilla, Marybeth Hartke, James
Pettay, Raymond R. Tubbs, and Gene H. Barnett, 512
Chronic Inactive Gastritis and Coccoid Helicobacter pylori in
Patients Treated for Gastroesophageal Reflux Disease or With

H pylori Eradication Therapy Neal S. Goldstein, 719

Clinicopathologic Significance of Expression of CD44s and CD44v6 Isoforms in Squamous Cell Carcinoma of the Supraglottic Larvnx

Juan P. Rodrigo, Francisco Domínguez, Cesar Alvarez, María V. González, Agustín Herrero, and Carlos Suárez, 67 S

D

H

Fo

an

an

La

Ev

Ex

Fi

Tu

Ca

Fn

Ho Ph

Str

Comparison of Five Antibodies as Markers in the Diagnosis of Melanoma in Cytologic Preparations

Matthew V. Sheffield, Herman Yee, Christine C. Dorvault, Katherine N. Weilbaecher, Isam A. Eltoum, Gene P. Siegal, David E. Fisher, and David C. Chhieng, 930

Comparison of Standardized and Nonstandardized Nuclear Grade of Renal Cell Carcinoma to Predict Outcome Among 2,042 Patients Christine M. Lohse, Michael L. Blute, Horst Zincke, Amy L. Weaver, and John C. Cheville, 877

Comparison of Thyroid Transcription Factor-1 and Hepatocyte Antigen Immunohistochemical Analysis in the Differential Diagnosis of Hepatocellular Carcinoma, Metastatic Adenocarcinoma, Renal Cell Carcinoma, and Adrenal Cortical Carcinoma

Tad J. Wieczorek, Jack L. Pinkus, Jonathan N. Glickman, and Geraldine S. Pinkus, 911

Cyclooxygenase 2 Expression in Pancreatic Adenocarcinoma and Pancreatic Intraepithelial Neoplasia: An Immunohistochemical Analysis With Automated Cellular Imaging

Anirban Maitra, Raheela Ashfaq, Carla R. Gunn, Ayman Rahman, Charles J. Yeo, Taylor A. Sohn, John L. Cameron, Ralph H. Hruban, and Robb E. Wilentz, 194

Cytopathology of Malignant Melanoma in Conventional and Liquid-Based Smears

Carl Morrison, Donn C. Young, and Paul E. Wakely, Jr, 435 Detection of Malignant Epithelial Cells in Effusions Using Flow Cytometric Immunophenotyping: An Analysis of 92 Cases

Ben Davidson, Hiep Phuc Dong, Aasmund Berner, Jette Christensen, Søren Nielsen, Preben Johansen, Magne Bryne, Pia Asschenfeldt, and Bjørn Risberg, 85

Diagnosis of Whipple Disease by Immunohistochemical Analysis: A Sensitive and Specific Method for the Detection of *Tropheryma whipplei* (the Whipple Bacillus) in Paraffin-Embedded Tissue *Blaire L. Baisden, Hubert Lepidi, Didier Raoult, Pedram Argani, John H. Yardley, and J. Stephen Dumler,* 742 Differences in the O-Glycosylation Patterns Between Lung Squamous Cell Carcinoma and Adenocarcinoma

Anna López-Ferrer, Carlos Barranco, and Carme de Bolós, 749 Differential Expression of High-Affinity Melatonin Receptors (MT1) in Normal and Malignant Human Breast Tissue

Dionne C. Dillon, Samantha E. Easley, Bonnie B. Asch, Richard T. Cheney, Lena Brydon, Ralf Jockers, Janet S. Winston, John S. Brooks, Thelma Hurd, and Harold L. Asch, 451

Does the Level of E-Cadherin Expression Correlate With the Primary Breast Carcinoma Infiltration Pattern and Type of Systemic Metastases?

Neal S. Goldstein, 425

Dual Sampling of the Endocervix and Its Impact on AutoCyte Prep **Endocervical Adequacy**

Sarah J. Day, Eric L. Deszo, and Gregory G. Freund, 41 Efficacy of Reprocessing Unsatisfactory Cervicovaginal ThinPrep Specimens With and Without Glacial Acetic Acid, The: Effect on Hybrid Capture II Human Papillomavirus Testing and Clinical Follow-up

S. Nicholas Agoff, Thomas Dean, Brigette K. Nixon, Kathy Ingalls-Severn, Linda Rinker, and Verena S. Grieco, 727 Evaluation of HER-2/neu Immunohistochemical Assay Sensitivity and Scoring on Formalin-Fixed and Paraffin-Processed Cell Lines and Breast Tumors: A Comparative Study Involving Results From Laboratories in 21 Countries

Anthony Rhodes, Bharat Jasani, Elizabeth Anderson, Andrew R. Dodson, and André J. Balaton, 408

Evidence-Based Criteria for Adequacy in Thyroid Fine-Needle Aspiration

Andrew A. Renshaw, 518

Expression of Cytolytic Lymphocyte-Associated Antigens in Pulmonary Lymphomatoid Granulomatosis

William G. Morice, Paul J. Kurtin, and Jeffrey L. Myers, 391 Fine-Needle Aspiration Biopsy of Nonteratomatous Germ Cell Tumors of the Mediastinum

David C. Chhieng, Oscar Lin, Cesar A. Moran, Isam A. Eltoum, Nirag C. Jhala, Darshana N. Jhala, and Aylin Simsir, 418 Focal Features of Papillary Carcinoma of the Thyroid in Fine-

Needle Aspiration Material Are Strongly Associated With Papillary Carcinoma at Resection

Andrew A. Renshaw, 208

Pia

mi,

ology

Gene Amplification and Protein Overexpression of c-erb-b2 in Barrett Carcinoma and Its Precursor Lesions

Helene Geddert, Mohamed Zeriouh, Marietta Wolter, Joachim W. Heise, Helmut E. Gabbert, and Mario Sarbia, 60

Histologic Follow-up of People With Celiac Disease on a Gluten-Free Diet: Slow and Incomplete Recovery

Peter J. Wahab, Jos W.R. Meijer, and Chris J.J. Mulder, 459 Hormonal Receptors Expression in Epithelial Cells of Mammary Phyllodes Tumors Correlates With Pathologic Grade of the Tumor: A Multicenter Study of 143 Cases

Gary M.K. Tse, C. Soon Lee, Fred Y.L. Kung, Richard A. Scolyer, Bonita K.B. Law, Tai-shing Lau, and Thomas C. Putti, 522 Immunohistochemical Validation of a Novel Epithelial and a Novel Stromal Marker of Pancreatic Ductal Adenocarcinoma Identified by Global Expression Microarrays: Sea Urchin Fascin Homolog and

Heat Shock Protein

Anirban Maitra, Christine Iacobuzio-Donahue, Ayman Rahman, Taylor A. Sohn, Peter Argani, Renee Meyer, Charles J. Yeo, John L. Cameron, Michael Goggins, Scott E. Kern, Raheela Ashfaq, Ralph H. Hruban, and Robb E. Wilentz, 52

Improving Pap Test Turnaround Time Using External Benchmark Data and Engineering Process Improvement Tools

Thomas J. Persoon, M. Sue Zaleski, and Michael B. Cohen, 527 Interobserver Reproducibility of Her-2/neu Protein Overexpression in Invasive Breast Carcinoma Using the DAKO HercepTest

Chih-Yi Hsu, Donald Ming-Tak Ho, Ching-Fen Yang, Chiung-Ru Lai, I-Ting Yu, and Hung Chiang, 693

Interpretation of RET Immunostaining in Follicular Lesions of the Thyroid

Lisa A. Cerilli, Stacey E. Mills, Craig A. Rumpel, Thomas H. Dudley, and Christopher A. Moskaluk, 186

Intraoperative Cytology Increases the Diagnostic Accuracy of Frozen Sections for the Confirmation of Various Tissues in the Parathyroid Region

Vinod B. Shidham, Zeenat Asma, R. Nagarjun Rao, Ashwini Chavan, Jinobya Machhi, Urias Almagro, and Richard A. Komorowski, 895

Kinetic Profiles by Topographic Compartments in Muscle-Invasive Transitional Cell Carcinomas of the Bladder: Role of TP53 and NF1 Genes

Alfredo Blanes, Javier Rubio, Armando Martinez, Hubert J. Wolfe, and Salvador J. Diaz-Cano, 93

Location-Guided Screening of Liquid-Based Cervical Cytology Specimens: A Potential Improvement in Accuracy and Productivity Is Demonstrated in a Preclinical Feasibility Trial

David C. Wilbur, Elizabeth M. Parker, and Joseph A. Foti, 399 MUC1 Expression Is Correlated With Nuclear Grade and Tumor Progression in pT1 Renal Clear Cell Carcinoma

Xavier Leroy, Farid Zerimech, Laurent Zini, Marie-Christine Copin, Marie-Pierre Buisine, Bernard Gosselin, Jean-Pierre Aubert, and Nicole Porchet, 47

Paranuclear E-Cadherin in Gastric Adenocarcinoma Philip M. Carpenter, Rasha A. Al-Kuran, and Charles P. Theuer,

Polyclonal Anti-PSA Is More Sensitive but Less Specific Than Monoclonal Anti-PSA: Implications for Diagnostic Prostatic Pathology

Murali Varma, Meleri Morgan, Bharat Jasani, Pheroze Tamboli, and Mahul B. Amin, 202

Potential Pitfalls in the Frozen Section Evaluation of Parenchymal Margins in Nephron-Sparing Surgery

Teresa McHale, S. Bruce Malkowicz, John E. Tomaszewski, and Elizabeth M. Genega, 903

Proteomic Evaluation of Archival Cytologic Material Using SELDI Affinity Mass Spectrometry: Potential for Diagnostic Applications Patricia A. Fetsch, Nicole L. Simone, Peter K. Bryant-

Greenwood, Francesco M. Marincola, Armando C. Filie, Emmanuel F. Petricoin, Lance A. Liotta, and Andrea Abati, 870

Risk Assessment in Localized Primary Cutaneous Melanoma: A Southwest Oncology Group Study Evaluating Nine Factors and a Test of the Clark Logistic Regression Prediction Model

Ralph J. Tuthill, Joseph M. Unger, P.Y. Liu, Lawrence E. Flaherty, and Vernon K. Sondak, 504

Role of Liver Biopsy in the Diagnosis of Hepatic Iron Overload in the Era of Genetic Testing

Shirin Nash, Sharon Marconi, Krystyna Sikorska, Rizwan Naeem, and Gerald Nash, 73

Tissue Array Technology for Testing Interlaboratory and Interobserver Reproducibility of Immunohistochemical Estrogen Receptor Analysis in a Large Multicenter Trial

Reinhard von Wasielewski, Michael Mengel, Birgitt Wiese, Thomas Rüdiger, Hans Konrad Müller-Hermelink, and Hans Kreipe, 675

Usefulness of DNA Ploidy Measurement on Liquid-Based Smears Showing Conflicting Results Between Cytology and High-Risk Human Papillomavirus Typing

Marianne Lorenzato, Jean-Paul Bory, Joël Cucherousset, Jean-Marie Nou, Dominique Bouttens, Corinne Thil, Francine Dez, Ghislaine Evrard, Christian Quereux, Philippe Birembaut, and Christine Clavel, 708

Usefulness of p53 and Ki-67 Immunohistochemical Analysis for Preoperative Diagnosis of Extremely Well-Differentiated Gastric Adenocarcinoma

Chikanori Niimi, Hidemi Goto, Naoki Ohmiya, Yasumasa Niwa, Tetsuo Hayakawa, Tetsuro Nagasaka, and Nobuo Nakashima, 683

Review Article

Practical Considerations in the Pathologic Diagnosis of Needle Core Biopsies of Breast

Syed A. Hoda and Paul Peter Rosen, 101

BASIC SCIENCE

Review Article

Vanilloid (Capsaicin) Receptors in Health and Disease *Arpad Szallasi*, 110

CLINICAL CHEMISTRY

Original Articles

Determination of Cytokine Responses Using a Multiplexed Fluorescent Microsphere Immunoassay

Thomas B. Martins, Brian M. Pasi, Jerry W. Pickering, Troy D. Jaskowski, Christine M. Litwin, and Harry R. Hill, 346

Effect of Marathon Running on Hematologic and Biochemical Laboratory Parameters, Including Cardiac Markers

Alexander Kratz, Kent B. Lewandrowski, Arthur J. Siegel, Kelly Y. Chun, James G. Flood, Elizabeth M. Van Cott, and Elizabeth Lee-Lewandrowski, 856

Performance Characteristics of Four Immunoassays for Antiepileptic Drugs on the IMMULITE 2000 Automated Analyzer

Elizabeth L. Frank, Elisabeth L. Schwarz, JoEtta Juenke, Thomas M. Annesley, and William L. Roberts, 124

Review Articles

Endogenous and Exogenous Digoxin-like Immunoreactive Substances: Impact on Therapeutic Drug Monitoring of Digoxin

Amitava Dasgupta, 132

Measurement of Cardiac Markers, The: Where Should We Focus?

Mauro Panteghini, 354

COAGULATION AND TRANSFUSION MEDICINE

Original Articles

Assessing the Usefulness of Anticardiolipin Antibody Assays: A Cautious Approach Is Suggested by High Variation and Limited Consensus in Multilaboratory Testing

Emmanuel J. Favaloro and Roger Silvestrini, 548
Cross-Reactivity of Cefotetan and Ceftriaxone Antibodies,
Associated With Hemolytic Anemia, With Other Cephalosporins
and Penicillin

Patricia A. Arndt and George Garratty, 256

Elevated Fibrinogen in an Acute Phase Reaction Prolongs the Reptilase Time but Typically Not the Thrombin Time

Elizabeth M. Van Cott, Eve Y. Smith, and Dennis K. Galanakis, 263

Gnotobiotic Piglets Develop Thrombotic Microangiopathy After Oral Infection With Enterohemorrhagic Escherichia coli

Florian Gunzer, Isabel Hennig-Pauka, Karl-Heinz Waldmann, Roger Sandhoff, Hermann-Josef Gröne, Hans-Heinrich Kreipe, Andreas Matussek, and Michael Mengel, 364 th

C

C

P

C

L

L

D

li

Identification of von Willebrand Disease Type 2N (Normandy) in Australia: A Cross-Laboratory Investigation Using Different Methods

Susan E. Rodgers, Nancy V. Lerda, Emmanuel J. Favaloro, Elizabeth M. Duncan, Graeme J. Casey, Diana M. Quinn, Mark Hertzberg, and John V. Lloyd, 269

Leukocyte-Reduced Transfusions in Cardiac Surgery: Results of an Implementation Trial

Neil Blumberg, Joanna M. Heal, Judith W. Cowles, George L. Hicks, Jr, William H. Risher, Prem K. Samuel, and Scott A. Kirkley, 376

Restriction Fragment Length Polymorphism and Polymerase Chain Reaction: HLA-DQA1 and Polymarker Analysis of Blood Samples From Transfusion Recipients

Rajiv I. Giroti, Rajesh Biswas, and Kanchan Mukherjee, 382

EDITORIALS

Education and Training: Practice Makes Perfect Michael L. Wilson, 167

Proteomics

Michael W. Stanley, 825

Quest for a Magic Tumor Marker: Continuing Saga in the Diagnosis of the Follicular Lesions of Thyroid, The Zubair W. Baloch and Virginia A. LiVolsi, 165 Searching for a Valid Animal Model of Hemolytic Uremic Syndrome

Zoltan G. Laszik and Gregory L. Blakey, 323

Standardization of Clinical Immunohistochemistry: Why, How, and

Christopher A. Moskaluk, 669

Testing for KIT (CD117) in Gastrointestinal Stromal Tumors: Another HercepTest?

Christopher D.M. Fletcher and Jonathan A. Fletcher, 163 Time for Accurate Fuhrman Grading of Renal Cell Carcinomas Has

Lawrence D. True, 827

Validation of Prognostic Models for Melanoma

Phyllis A. Gimotty, DuPont Guerry, and David E. Elder, 489

Welcome Innovation in Erythrocyte Sedimentation Testing John A. Koepke, 11

HEMATOPATHOLOGY

Original Articles

2,

rk

an

iin

les

ology

Apoptotic Rate in Peripheral T-Cell Lymphomas: A Study Using a Tissue Microarray With Validation on Full Tissue Sections George Z. Rassidakis, Dan Jones, Athanasios Thomaides, Filiz

Sen, Raymond Lai, Fernando Cabanillas, Timothy J.

McDonnell, and L. Jeffrey Medeiros, 328

Bone Marrow Changes in Anorexia Nervosa Are Correlated With the Amount of Weight Loss and Not With Other Clinical Findings E. Abella, E. Feliu, I. Granada, F. Millá, A. Oriol, J.M. Ribera, L. Sánchez-Planell, Ll. Berga, J.C. Reverter, and C. Rozman, 582

CD5+ Follicular Lymphoma: A Clinicopathologic Study of Three Cases

Todd S. Barry, Elaine S. Jaffe, Douglas W. Kingma, Alvin W. Martin, Lynn Sorbara, Mark Raffeld, and Stefania Pittaluga, 589

CD5- Mantle Cell Lymphoma

Zach Liu, Henry Y. Dong, Wojciech Gorczyca, Patricia Tsang, Patti Cohen, Christine F. Stephenson, Carol S. Berger, C. Daniel Wu, and James Weisberger, 216

Clusterin Is Widely Expressed in Systemic Anaplastic Large Cell Lymphoma but Fails to Differentiate Primary From Secondary Cutaneous Anaplastic Large Cell Lymphoma

Marick E. Lae, Iftikhar Ahmed, and William R. Macon, 773 Comparison of Immunophenotypes of Small B-Cell Neoplasms in Primary Lymph Node and Concurrent Blood or Marrow Samples Yin Xu, Robert W. McKenna, Sheryl L. Asplund, and Steven H. Kroft, 758

Composite Angioimmunoblastic T-Cell Lymphoma and Diffuse Large B-Cell Lymphoma: A Case Report and Review of the

Yin Xu, Robert W. McKenna, Mai P. Hoang, Robert H. Collins, and Steven H. Kroft, 848

Decision-Support System for Flow Cytometry

Immunophenotyping, A

Adam L. Asare, Jason S. Ellis, and Charles W. Caldwell, 567

Differences in CD33 Intensity Between Various Myeloid Neoplasms

Iman Jilani, Elihu Estey, Yang Huh, Youngson Joe, Taghi Manshouri, Marwan Yared, Francis Giles, Hagop Kantarjian. Jorge Cortes, Deborah Thomas, Michael Keating, Emil Freireich, and Maher Albitar, 560

Evaluation of a Single-Tube Multiplex Polymerase Chain Reaction Screen for Detection of Common alpha-Thalassemia Genotypes in a Clinical Laboratory

Alana K. Bergstrome Jones and Annette Poon, 18 Expression of µ-BCR-ABL Transcripts in Chronic Neutrophilic Leukemia

Adina M. Cioc and Gerard J. Nuovo, 842

Expression of CD117 and CD11b in Bone Marrow Can Differentiate Acute Promyelocytic Leukemia From Recovering Benign Myeloid Proliferation

Edgar G. Rizzatti, Aglair B. Garcia, Fernando L. Portieres, Dirceu E. Silva, Sérgio L.R. Martins, and Roberto P. Falcão, 31 Follicular Pattern of Bone Marrow Involvement by Follicular Lymphoma

Emina Torlakovic, Goran Torlakovic, and Richard D. Brunning,

Hodgkin Disease in Adult and Juvenile Groups From Two Different Geographic Regions in Brazil: Characterization of Clinicopathologic Aspects and Relationship With Epstein-Barr Virus Infection

Deilson Elgui de Oliveira, Maura M. Bacchi, Eliane S. Abreu, Ligia Niero-Melo, and Carlos E. Bacchi, 25

How Useful Are CBC and Reticulocyte Reports to Clinicians? Linda M. Sandhaus and Pamela Meyer, 787

Immunohistochemical Study of the Bone Marrow Lesions of Systemic Mastocytosis, An: Expression of Stem Cell Factor by Lesional Mast Cells

Cem Akin, Elaine S. Jaffe, Mark Raffeld, Arnold S. Kirshenbaum, Trisha Daley, Pierre Noel, and Dean D. Metcalfe, 242 Lack of Surface Immunoglobulin Light Chain Expression by Flow

Cytometric Immunophenotyping Can Help Diagnose Peripheral B-Cell Lymphoma

Shiyong Li, James R. Eshleman, and Michael J. Borowitz, 229 Langerhans Cell Histiocytosis: Immunohistochemical Expression of Fascin, a Dendritic Cell Marker

Geraldine S. Pinkus, Mark A. Lones, Fumio Matsumura, Shigeko Yamashiro, Jonathan W. Said, and Jack L. Pinkus, 335 Peripheral T-Cell Lymphoma Arising in the Liver

Mirela Stancu, Dan Jones, Francisco Vega, and L. Jeffrey Medeiros, 574

Platelet Counting by the Coulter LH 750, Sysmex XE 2100, and Advia 120: A Comparative Analysis Using the RBC/Platelet Ratio

Linda M. Sandhaus, Ebenezer S. Osei, Neeta N. Agrawal, Christine A. Dillman, and Howard J. Meyerson, 235 t(14;18) and bcl-2 Expression Are Present in a Subset of Primary Cutaneous Follicular Lymphoma, The: Association With Lower Grade

Lyle C. Lawnicki, Dennis D. Weisenburger, Patricia Aoun, Wing C. Chan, Robert S. Wickert, and Timothy C. Greiner, 765

Terminal Deoxynucleotidyl Transferase–Positive Lymphoid Cells in Reactive Lymph Nodes From Children With Malignant Tumors:

Incidence, Distribution Pattern, and Immunophenotype in 26 Patients Mihaela Onciu, Robert B. Lorsbach, E. Charlene Henry, and Frederick G. Behm, 248

Validation of the Diesse Mini-Ves Erythrocyte Sedimentation Rate (ESR) Analyzer Using the Westergren ESR Method in Patients With Systemic Inflammatory Conditions

Marc R. Happe, Daniel F. Battafarano, David P. Dooley, Thomas A. Rennie, Frederick T. Murphy, Thomas J. Casey, and John A. Ward, 14

Valproate-Associated Dysmyelopoiesis in Elderly Patients Chi-chiu So and Kit-fai Wong, 225

Value of Interphase FISH for the Diagnosis of t(11;14)(q13;q32) on Skin Lesions of Mantle Cell Lymphoma

Pierre Dubus, Paul Young, Marie Beylot-Barry, Marc A. Belaud-Rotureau, Philippe Courville, Béatrice Vergier, Marie Parrens, Bernard Lenormand, Pascal Joly, and Jean P. Merlio, 832

INFORMATICS

Original Articles

Characteristics of Educational Software Use in 106 Clinical Laboratories

Michael L. Astion, Sara Kim, Enrique Terrazas, and Amanda Nelson, 494

Informatics Training in Pathology Residency Programs Walter H. Henricks and James C. Healy, 172

Integration of Text, Image, and Graphic Data From Different Sources in Laboratory Reports: Example of Kidney Stone Reporting System

Shang-Che Lin, Frederick Van Lente, Adam Fadlalla, and Walter H. Henricks, 179

IMMUNOPATHOLOGY

Original Article

Anti-gp43 Antibodies in the Cerebrospinal Fluid of Patients With Central Nervous System Involvement by Paracoccidioidomycosis Sérgio M. de Almeida, Flávio Queiroz-Telles, Elvira M. Doi, Margaret Ono, and Lineu C. Werneck, 864

MICROBIOLOGY AND INFECTIOUS DISEASE

Original Articles

Comparison of the Automated Mycobacteria Growth Indicator Tube System (BACTEC 960/MGIT) With Löwenstein-Jensen Medium for Recovery of Mycobacteria From Clinical Specimens Dongsi Lu, Bobbi Heeren, and W. Michael Dunne, 542 Delayed Diagnosis of Osseous Blastomycosis in Two Patients Following Environmental Exposure in Nonendemic Areas

Shailaja R. Veligandla, Steven H. Hinrichs, Mark E. Rupp, Elizabeth A. Lien, James R. Neff, and Peter C. Iwen, 536

Evaluation of the Status of Laboratory Practices and the Need for Continuing Education in Medical Mycology

Eunice R. Rosner, Errol Reiss, Nancy G. Warren, H. Jean Shadomy, and Harvey B. Lipman, 278

Practical Therapeutic Application of the Oxoid PBP2' Latex Agglutination Test for the Rapid Identification of Methicillin-Resistant *Staphylococcus aureus* in Blood Cultures

Elizabeth M. Marlowe, Andrea J. Linscott, Meganne Kanatani, and David A. Bruckner, 287

Rapid and Accurate Identification of Mycobacteria by Sequencing Hypervariable Regions of the 16S Ribosomal RNA Gene

Xiang Y. Han, Audrey S. Pham, Jeffrey J. Tarrand, Pramila K. Sood, and Rajyalakshmi Luthra, 796

PATHOLOGY PATTERNS REVIEWS

Benign Fibro-osseous Diseases of the Maxillofacial Bones: A Review and Differential Diagnosis

Faizan Alawi, S50

Blood Substitutes: What They Are and How They Might Be Used *Qun Dong and Christopher P. Stowell*, S71

Cardiac Markers for Myocardial Infarction: A Brief Review Kent Lewandrowski, Ahchean Chen, and James Januzzi, S93 Cutaneous Adnexal Neoplasms

Craig A. Storm and John T. Seykora, S33

Expression of Anaplastic Lymphoma Kinase in Non-Hodgkin's Lymphomas and Other Malignant Neoplasms: Biological,

Diagnostic, and Clinical Implications

Mariusz A. Wasik, S81

HIV Update: Diagnostic Tests and Markers of Disease Progression and Response to Therapy

Mancong Zhang and James Versalovic, S26

Laboratory Testing for Viral Hepatitis

Kenneth R. Harris and Anand S. Dighe, S18

Molecular Mutations in Thyroid Carcinogenesis

Jennifer L. Hunt, S116

Review of Fine-Needle Aspiration Cytology of Salivary Gland Neoplasms, With Emphasis on Differential Diagnosis

Perkins Mukunyadzi, S109

Tuberculosis: Advances in Laboratory Diagnosis and Drug Susceptibility Testing

Quentin Eichbaum and Eric J. Rubin, S3

subject index

Index of Issues: July, pp 1-152; August, pp 153-312; September, pp 313-480; October, pp 481-660; November, pp 661-812; December, pp 813-972. Page numbers beginning with S denote articles in the December Pathology Patterns Reviews.

Abstracts of Papers, 292, 464, 617, 959

Acetic acid, glacial, reprocessing unsatisfactory ThinPrep cervicovaginal specimens with and without, efficacy of, effect on Hybrid Capture II human papillomavirus testing and clinical follow-up, 727

Acid-fast bacillus staining, for Mycobacterium tuberculosis, S4 Acinar cell cystadenoma, of pancreas, unilocular, 211

Acinic cell carcinoma, S107

Acute phase reaction, elevated fibrinogen in, prolongs reptilase time but typically not thrombin time, 263

Adenocarcinoma

gastric

p53 and Ki-67 immunohistochemical analysis for preoperative diagnosis of extremely well-differentiated, 683 paranuclear E-cadherin in, 887

of lung, O-glycosylation pattern differences between squamous cell carcinoma and, 749

metastatic, thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis in differential diagnosis of hepatocellular carcinoma, renal cell carcinoma, adrenal cortical carcinoma and, comparison of, 911

of pancreas

cyclooxygenase 2 expression in, immunohistochemical analysis with automated cellular imaging, 194 pancreatic ductal, novel epithelial and novel stromal marker of, identified by global expression microarrays, immunohistochemical validation of, 52

polymorphous low-grade, S109

Adenoid cystic carcinoma, S109

Adenoma

ology

carcinoma ex pleomorphic, S112 monomorphic, \$103 pleomorphic, S102

Adhesion molecules, expression of CD44s and CD44v6 isoforms in squamous cell carcinoma of the supraglottic larynx, clinicopathologic significance of, 67

Adnexal neoplasms, cutaneous, S33

Aged, valproate-associated dysmyelopoiesis in the, 225

Agranulocytosis, CD117 and CD11b expression in bone marrow can differentiate acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

American Society for Colposcopy and Cervical Pathology (ASCCP), patient management guidelines, Pap test specimen adequacy and quality indicators, 714

Anandamide, vanilloid receptors in health and disease, 110

Anaplastic lymphoma kinase (ALK), expression in non-Hodgkin lymphoma and other malignant neoplasms, biological, diagnostic, and clinical implications, S81

Anemia, drug-induced hemolytic, cross-reactivity of cefotetan and ceftriaxone antibodies associated with, 256

Aneurysmal bone cyst, S65

Anorexia nervosa, bone marrow changes in, as correlated with amount of weight loss and not with other clinical findings, 582

Antibiotics. See also Drug resistance

cross-reactivity of cefotetan and ceftriaxone antibodies associated with hemolytic anemia, with cephalosporins and penicillin, 256

susceptibility testing for Mycobacterium tuberculosis, \$3, \$11 Anticardiolipin antibody assays, assessing usefulness of, cautious approach suggested by high variation and limited consensus in multilaboratory setting, 548

Anti-gp43 antibodies, in cerebrospinal fluid of patients with central nervous system involvement by paracoccidioidomycosis,

Antiphospholipid antibodies, anticardiolipin antibody assays for detecting, assessing usefulness of, 548

Anti-PSA, polyclonal is more sensitive but less specific than monoclonal, implications for diagnostic prostatic pathology, 202 Apoptosis

CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922

muscle-invasive transitional cell carcinoma of the bladder, kinetic profiles by topographic compartments in, role of TP53 and NFI genes, 93

rate in peripheral T-cell lymphomas, study using tissue microarray with validation on full tissue sections, 328

Archival cytologic material, proteomic evaluation of, using SELDI affinity mass spectrometry, potential for diagnostic applications, 825, 870

Australia, von Willebrand disease type 2N (Normandy) in, identification of, a cross-laboratory investigation using different methods, 269

AutoCyte Prep, dual sampling of the endocervix, and its impact on endocervical adequacy of, 41

Automated hematology analyzers

CBC and reticulocyte reports' usefulness to clinicians, 787 platelet counting by Coulter LH 750, Sysmex XE 2100, and Advia 120, comparative analysis using RBC/platelet ratio method, 235

Automation

location-guided screening of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

in Mycobacterium tuberculosis diagnosis, \$9

AutoPap, location-guided screening of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

В

BACTEC 960 Mycobacteria Indicator Tube system, for recovery of mycobacteria from clinical specimens, comparison with Löwenstein-Jensen medium, 542

Barrett esophagus, gene amplification and protein overexpression of c-erb-b2 in, and its precursor lesions, 60

bcl-1, and CD5- mantle cell lymphoma, 216 bcl-2

in CD5+ follicular lymphoma, 589

in a subset of primary cutaneous follicular lymphoma, association with lower grade, 765

μ-BCR-ABL, expression in chronic neutrophilic leukemia, 842 Bethesda System, terminology changes for cervical cytology reporting, 714

Biochemical parameters, marathon running's effects on, 856 Bladder, muscle-invasive transitional cell carcinoma of, kinetic profiles by topographic compartments in, role of *TP53* and *NF1* genes, 93

Blastomyces dermatitidis, in osseous blastomycosis cases outside endemic area, 536

Blastomycosis, osseous, delayed diagnosis in two patients following environmental exposure in nonendemic areas, 536

Blood cultures, methicillin-resistant Staphylococcus aureus in, Oxoid PBP2' latex agglutination test for rapid identification of, practical therapeutic application of, 287

Blood substitutes, what they are and how they might be used, S71 Blood transfusion. See Transfusion

Bone marrow

CD117 and CD11b expression in, as differentiating acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

changes in anorexia nervosa, as correlated with amount of weight loss and not with other clinical findings, 582 follicular pattern of infiltration by follicular lymphoma, 780 immunophenotypes of small B-cell neoplasms in primary lymph node and concurrent samples of blood or, comparison of, 758

lesions of systemic mastocytosis, immunohistochemical study of, 242

Book Reviews, 142, 307, 469, 601, 802, 964

Branched DNA-mediated phosphatase detection, for Mycobacterium tuberculosis diagnosis, S7

Brazil, Hodgkin disease in adult and juvenile groups from two different geographic regions of, characterization of clinicopathologic aspects and relationship with Epstein-Barr virus infection, 25

Breast cancer

E-cadherin expression correlating with primary breast carcinoma infiltration pattern and type of systemic metastases, 425

differential expression of high-affinity melatonin receptors (MT1) in normal and malignant breast tissue, 451

HER-2/neu assay sensitivity and scoring on formalin-fixed and paraffin-processed cell lines and breast tumors, comparative study involving results from laboratories in 21 countries, 408

HER-2/neu overexpression in invasive breast carcinoma, interobserver reproducibility of, using DAKO HercepTest, 693

hormonal receptors expression in epithelial cells of mammary phyllodes tumors correlates with pathologic grade of tumor, multicenter study of 143 cases, 522

practical considerations in pathologic diagnosis of core needle biopsies, 101

reliability of diagnosis of mucinous lesions by core needle biopsy, 82

Brown tumor, S65

C

E-Cadherin

expression correlating with primary breast carcinoma infiltration pattern and type of systemic metastases, 425 paranuclear, in gastric adenocarcinoma, 887

Capsaicin, vanilloid receptors in health and disease, 110

Carbamazepine, immunoassays for antiepileptic drugs, performance characteristics of four, on the IMMULITE 2000 automated analyzer, 124

Carcinoma. See also Adenocarcinoma

acinic cell, S107

adenoid cystic, \$109

Barrett, gene amplification and protein overexpression of c-erbb2 in, and its precursor lesions, 60

of bladder, muscle-invasive transitional cell, kinetic profiles by topographic compartments in, role of *TP53* and *NF1* genes, 93

of breast

E-cadherin expression correlating with primary infiltration pattern and type of systemic metastases, 425

HER-2/neu overexpression in invasive, interobserver reproducibility of, using DAKO HercepTest, 693 mucinous lesion diagnosis by core needle biopsy, 82

practical considerations in pathologic diagnosis of core needle biopsies, 101

gastric, pancreatic, and esophageal, CD97, but not closely related EGF-TM7 family member EMR2, is expressed in, 699 of kidney

renal cell, comparison of standardized and nonstandardized nuclear grade to predict outcome among 2,042 patients, 827, 877 C

renal cell, frozen section evaluation of parenchymal margins in nephron-sparing surgery, potential pitfalls of, 903 renal clear cell, MUC1 expression is correlated with nuclear grade and tumor progression in pT1, 47

of larynx, squamous cell of the supraglottic, expression of CD44s and CD44v6 isoforms in, clinicopathologic significance of, 67

of lung, O-glycosylation pattern differences between adenocarcinoma and squamous cell, 749

malignant epithelial cells in effusions, flow cytometric immunophenotyping for detection of, 85

microcystic adnexal, S36

mucoepidermoid

high-grade, S110

low-grade, S106

ovarian, CAS (cellular apoptosis susceptibility) gene expression in, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922

pilomatrical, S42

of prostate, carcinoma extent in needle biopsy tissue in prediction of whole gland tumor volume in a screening population, 442

of salivary duct, S111

of thyroid

focal features of papillary, in fine-needle aspiration material, are strongly associated with papillary carcinoma at resection, 208

medullary, S122

papillary, S117

RET immunostaining in follicular lesions, 165, 186

thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

Cardiac markers

ce

d

es.

e-

ed

marathon running's effects on hematologic and biochemical laboratory parameters, including, 856

measurement of, 354

for myocardial infarction, a brief review, S93

Cardiac surgery

cardiac markers following, S97

leukocyte-reduced transfusions in, results of an implementation trial, 376

CAS (cellular apoptosis susceptibility) gene, expression in ovarian carcinoma, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922

C cells (parafollicular cells), tumors of, S121

CD4+

decision-support system for flow cytometry immunophenotyp-

T lymphocyte counts in HIV infection, S29

CD5+ follicular lymphoma, a clinicopathologic study of three cases, 589

CD5- mantle cell lymphoma, 216

CD11b, and CD117 expression in bone marrow, as differentiating acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

CD30+ anaplastic large cell lymphoma, 773, S81

CD33, intensity differences between various myeloid neoplasms, 560

CD44, expression of CD44s and CD44v6 isoforms in squamous cell carcinoma of the supraglottic larynx, clinicopathologic significance of, 67

CD97, but not closely related EGF-TM7 family member EMR2, is expressed in gastric, pancreatic, and esophageal carcinomas, 699

CD117

and CD11b expression in bone marrow, as differentiating acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

testing for gastrointestinal stromal tumors, standardization of, 163, 669

Cefotetan antibody, cross-reactivity with cephalosporins and penicillin, 256

Ceftriaxone antibody, cross-reactivity with cephalosporins and penicillin, 256

Celiac disease, histologic follow-up of people on gluten-free diet, slow and incomplete recovery from, 459

Cell lines, HER-2/neu assay sensitivity and scoring on formalinfixed and paraffin-processed cell lines and breast tumors, comparative study involving results from laboratories in 21 countries, 408

Cellular apoptosis susceptibility (CAS) gene, expression in ovarian carcinoma, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922

Cementoblastoma, S62

Cementoma, familial gigantiform, S59

Central giant cell granuloma, S64

Central nervous system, involvement by paracoccidioidomycosis, anti-gp43 antibodies in cerebrospinal fluid of patients with,

Cephalosporins, cross-reactivity of cefotetan and ceftriaxone antibodies with, 256

c-erb-b2, gene amplification and protein overexpression of, in Barrett carcinoma and its precursor lesions, 60

Cerebrospinal fluid, of patients with central nervous system involvement by paracoccidioidomycosis, anti-gp43 antibodies in, 864

Cervical cytology. See also Papanicolaou smear

dual sampling of endocervix, and its impact on AutoCyte Prep endocervical adequacy, 41

location-guided screening of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

Chemiluminescence, for Mycobacterium tuberculosis diagnosis, S7 Cherubism, S65

Chinese medicines, digoxin-like immunoreactive substances, impact on therapeutic drug monitoring of digoxin, 132

Chondroid syringoma, S39

Chromatography, in Mycobacterium species identification, S10 Chromosome 1p, allelic loss not observed in dysembryoplastic neuroepithelial tumors, by fluorescence in situ hybridization, 512

CK-MB, as myocardial infarction marker, S94

Clark logistic regression model, risk assessment in localized primary cutaneous melanoma, Southwest Oncology Group study evaluating nine factors and test of, 489, 504

Clusterin, as widely expressed in systemic anaplastic large cell lymphoma, but fails to differentiate primary from secondary cutaneous anaplastic large cell lymphoma, 773

Colloid, reliability of diagnosis of mucinous lesions of the breast by core needle biopsy, 82

Colorimetry, for *Mycobacterium tuberculosis* diagnosis, S7 Complete blood count (CBC) reports, usefulness to clinicians of,

Computers

decision-support system for flow cytometry immunophenotyping, 567

educational software used in 106 clinical laboratories, characteristics of, 494

location-guided screening of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

Continuing education, in medical mycology, evaluation of need for, 167, 278

Cooperative Human Tissue Network, analysis of molecular quality of human tissues, an experience from the, 733

Core needle biopsy, of breast

practical considerations in pathologic diagnosis of, 101 reliability of diagnosis of mucinous lesions by, 82

Correspondence and Corrections, 144, 305, 470, 602, 804, 965

Cox regression model, risk assessment in localized primary cutaneous melanoma, Southwest Oncology Group study evaluating nine factors and test of Clark logistic regression model, 489, 504

C-reactive protein, high-sensitivity, as myocardial infarction marker, S96

Creatine kinase, as myocardial infarction marker, \$93

Cross-reactivity, of cefotetan and ceftriaxone antibodies, with cephalosporins and penicillin, 256

Cyclin D1

CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with 20q13.2 copy number, p53, and Rb protein expression, and, 922

immunoreactivity in skin lesions of mantle cell lymphoma, 832

Cyclooxygenase 2, expression in pancreatic adenocarcinoma and pancreatic intraepithelial neoplasms, immunohistochemical analysis with automated cellular imaging, 194

Cylindroma, S44

Cystadenoma, of pancreas, unilocular acinar cell, 211

Cytokeratin 19, in follicular lesions of thyroid, 165, 186

Cytokines, multiplexed fluorescent microsphere immunoassay in analysis of, 346

Cytology. See also Cervical cytology

five antibodies as markers in diagnosis of melanoma in cytologic preparations, comparison of, 930

intraoperative, as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in parathyroid region, 895

thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

n

DAKO HercepTest, HER-2/neu overexpression in invasive breast carcinoma, interobserver reproducibility of, using, 693 Data integration, in laboratory reporting, an example of kidney stone reporting, 179

Decision-support system, for flow cytometry immunophenotyping, 567

Dendritic cells, of lymphoid tissues and peripheral blood, fascin as marker for, 335

Diesse Mini-Ves erythrocyte sedimentation rate analyzer, validation of, using Westergren ESR method in patients with systemic inflammatory conditions, 11, 14

Digoxigenin, in Mycobacterium tuberculosis diagnosis, S7

Digoxin, therapeutic drug monitoring of, digoxin-like immunoreactive substances, impact in, 132

Digoxin-like immunoreactive substances, endogenous and exogenous, impact on therapeutic drug monitoring of digoxin,

DNA

analysis of molecular quality of human tissues, an experience from Cooperative Human Tissue Network, 733

mycobacteria, rapid and accurate identification by sequencing hypervariable regions of the 16S ribosomal RNA gene, 796

DNA ploidy, measurement on liquid-based smears, showing conflicting results between cytology and high-risk human papillomavirus typing, usefulness of, 708

DNA profiling, blood transfusion's effect on, 382

Drug resistance

in HIV infection, S26

methicillin-resistant Staphylococcus aureus in blood cultures, Oxoid PBP2' latex agglutination test for rapid identification of, 287

susceptibility testing for Mycobacterium tuberculosis, S3, S11

Dysembryoplastic neuroepithelial tumors, chromosome Ip allelic loss not observed in, by fluorescence in situ hybridization, 512

Dysfibrinogenemia, reptilase time and thrombin time in assessing for 263

Dysmyelopoiesis, valproate-associated, in the aged, 225

Dyspepsia, chronic inactive gastritis, and coccoid Helicobacter pylori, in patients treated for gastroesophageal reflux disease or with H pylori eradication therapy, 719

Dysplasia

fibrous, S51

gene amplification and protein overexpression of c-erb-b2 in Barrett carcinoma and its precursor lesions, 60 osseous, \$56

F

Eccrine porocarcinoma, S38

Eccrine spiradenocarcinoma, S34

Eccrine spiradenoma, \$34

Educational software, used in clinical laboratories, characteristics of, 494

Electrophoresis, gel, molecular quality of human tissues, an experience from the Cooperative Human Tissue Network, 733

EMR2, CD97, but not closely related EGF-TM7 family member, is expressed in gastric, pancreatic, and esophageal carcinomas, 699

Endocervix, dual sampling of, and its impact on AutoCyte Prep endocervical adequacy, 41 Epidermal growth factor-7 transmembrane (EGF-TM7), CD97, but not closely related family member EMR2, is expressed in gastric, pancreatic, and esophageal carcinomas, 699

Epilepsy, performance characteristics of four immunoassays for antiepileptic drugs, on the IMMULITE 2000 automated analyzer, 124

Epstein-Barr virus

g,

as

ion

nic

ac-

796

tion

1

ic

on,

ng

ics

peri-

er, is

p

thology

in angioimmunoblastic T-cell lymphoma, 848

Hodgkin disease in adult and juvenile groups from two different geographic regions of Brazil, characterization of clinicopathologic aspects and relationship with infection with, 25

Erythrocyte indices, usefulness of reports to clinicians, 787

Erythrocyte sedimentation rate, validation of Diesse Mini-Ves analyzer using Westergren ESR method in patients with systemic inflammatory conditions, 11, 14

Escherichia coli, gnotobiotic piglets developing thrombotic microangiopathy after oral infection with enterohemor-

Esophagus, CD97, but not closely related EGF-TM7 family member EMR2, is expressed in carcinoma of, 699

expression in epithelial cells of mammary phyllodes tumors correlates with pathologic grade of tumor, multicenter study of

tissue array technology for testing interlaboratory and interobserver reproducibility of immunohistochemical analysis of, in large multicenter trial, 675

Evidence-based medicine, 167

Factor VIII assays, von Willebrand disease type 2N (Normandy), identification in Australia, a cross-laboratory investigation using different methods, 269

Fascin, expression in Langerhans cell histiocytosis, 335

Fibrinogen, elevated, in acute phase reaction, prolongs reptilase time but typically not thrombin time, 263

Fibroma

central odontogenic, S63 ossifying, S54

Fibro-osseous diseases, of the maxillofacial bones, benign, review and differential diagnosis, \$50

Fibrous dysplasia, S51

Fine-needle aspiration biopsy

adequacy in thyroid, evidence-based criteria for, 518

focal features of papillary carcinoma of thyroid in material from, are strongly associated with papillary carcinoma at resection, 208

intraoperative cytology as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in parathyroid region, 895

malignant melanoma cytopathology, in conventional and liquidbased smears, 435

of nonteratomatous germ cell tumors of the mediastinum, 418 proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 825, 870

of salivary gland neoplasms, with emphasis on differential diagnosis, \$100

thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

Flow cytometry

CD5 expression in mantle cell lymphoma, 216

CD5+ follicular lymphoma, a clinicopathologic study of three cases, 589

immunophenotyping by

CD117 and CD11b expression in bone marrow can differentiate acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

decision-support system for, 567

malignant epithelial cells in effusions detected by, 85 of small B-cell neoplasms in primary lymph node and concurrent blood or marrow samples, 758

surface immunoglobulin light chain, lack of expression by, in diagnosis of peripheral B-cell lymphoma, 229

platelet counting by Coulter LH 750, Sysmex XE 2100, and Advia 120, compared with reference platelet counts by, 235 qualitative, CD33 intensity differences between various myeloid neoplasms, 560

Fluorescence in situ hybridization (FISH)

chromosome 1p allelic loss not observed in dysembryoplastic neuroepithelial tumors, 512

interphase, for diagnosis of t(11;14)(q13;q32) on skin lesions of mantle cell lymphoma, 832

Fluorescent microsphere immunoassay, multiplexed, in cytokine response determination, 346

Follicular lesions

CD5+ follicular lymphoma, a clinicopathologic study of three cases, 589

follicular pattern of bone marrow involvement by follicular lymphoma, 780

t(14;18) and bcl-2 expression are present in a subset of primary cutaneous follicular lymphoma, association with lower grade, 765

of thyroid, S117

RET immunostaining in, 165, 186

Food and Drug Administration (FDA), on testing for KIT (CD117) in gastrointestinal stromal tumors, 163

Forensics, DNA profiling as not affected by transfusions, 382

in evaluation of parenchymal margins in nephron-sparing surgery, potential pitfalls of, 903

intraoperative cytology as increasing diagnostic accuracy of, for confirmation of various tissues in parathyroid region, 895

Fuhrman grading, comparison of standardized and nonstandardized nuclear grade of renal cell carcinoma to predict outcome among 2,042 patients, 827, 877

Fungal infection, osseous blastomycosis, delayed diagnosis in two patients following environmental exposure in nonendemic areas, 536

Gastritis, chronic inactive, and coccoid Helicobacter pylori, in patients treated for gastroesophageal reflux disease or with H pylori eradication therapy, 719

Gastroesophageal reflux disease, chronic inactive gastritis, and coccoid *Helicobacter pylori*, in patients treated for, or with *H pylori* eradication therapy, 719

Gastrointestinal tumors

CD97, but not closely related EGF-TM7 family member EMR2, is expressed in carcinoma, 699

p53 and Ki-67 immunohistochemical analysis of preoperative diagnosis of extremely well-differentiated gastric adenocarcinoma, usefulness of, 683

paranuclear E-cadherin in gastric adenocarcinoma, 887 testing for KIT (CD117) in stromal tumors, 163, 669

Gelatinous degeneration of the bone marrow, in anorexia nervosa, 582

Gemtuzumab ozogamicin, CD33 intensity differences between various myeloid neoplasms, 560

Gene amplification, and protein overexpression of c-erb-b2 in Barrett carcinoma and its precursor lesions, 60

Gene rearrangement, and surface immunoglobulin light chain lack of expression by flow cytometric immunophenotyping, 229

Germ cell tumors, of the mediastinum, nonteratomatous, fine-needle aspiration biopsy of, 418

Giant cell granuloma, central, S64

Glacial acetic acid, reprocessing unsatisfactory ThinPrep cervicovaginal specimens with and without, efficacy of, effect on Hybrid Capture II human papillomavirus testing and clinical follow-up, 727

Gleevec, in gastrointestinal stromal tumor treatment, 163

Gluten-free diet, histologic follow-up of people with celiac disease on, slow and incomplete recovery, 459

Glycosylation, O-glycosylation pattern differences between lung squamous cell carcinoma and adenocarcinoma, 749

Gnotobiotic piglets, developing thrombotic microangiopathy after oral infection with enterohemorrhagic Escherichia coli, 323, 364

Golgi apparatus, paranuclear E-cadherin staining colocalizing with Griffonia simplicifolia lectin II in, in gastric adenocarcinoma, 887

gp43, anti-gp43 antibodies in cerebrospinal fluid of patients with central nervous system involvement by paracoccidioidomycosic 864

Granuloma, central giant cell, S64

Granulomatosis, pulmonary lymphomatoid, cytologic lymphocyteassociated antigen expression in, 391

Griffonia simplicifolia, paranuclear E-cadherin staining colocalizing with, in gastric adenocarcinoma, 887

H

Head and neck neoplasms, expression of CD44s and CD44v6 isoforms in squamous cell carcinoma of the supraglottic larynx, clinicopathologic significance of, 67

Heat shock protein 47, as novel stromal marker of pancreatic ductal adenocarcinoma, identified by global expression microarrays, immunohistochemical validation of, 52

Heat shock protein 90, S86

Helicobacter pylori, chronic inactive gastritis, and coccoid, in patients treated for gastroesophageal reflux disease or with H pylori eradication therapy, 719

Hematologic parameters, marathon running's effects on, 856

Hematologic toxicity, valproate-associated dysmyelopoiesis in the aged, 225

Hemoglobin, in blood substitutes, S71

Hemoglobin-based oxygen carriers, S73

Hemolytic uremic syndrome, gnotobiotic piglet model for enterohemorrhagic Escherichia coli-induced, 323, 364

Hepatitis

steatohepatitis, role of liver biopsy in diagnosis of hepatic iron overload in the era of genetic testing, 73

ID

Ig

viral, laboratory testing for, S18

Hepatitis A virus, laboratory testing for, \$18

Hepatitis B virus, laboratory testing for, S20

Hepatitis C virus, laboratory testing for, S22

Hepatitis E virus, laboratory testing for, S23

Hepatocyte antigen, and thyroid transcription factor-1 immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

HER-2/neu

assay sensitivity and scoring on formalin-fixed and paraffinprocessed cell lines and breast tumors, comparative study involving results from laboratories in 21 countries, 408

overexpression in invasive breast carcinoma, interobserver reproducibility of, using DAKO HercepTest, 693

Heterogeneity, tumor, muscle-invasive transitional cell carcinoma of the bladder, kinetic profiles by topographic compartments in, role of *TP53* and *NF1* genes, 93

HFE mutations, role of liver biopsy in diagnosis of hepatic iron overload in the era of genetic testing, 73

Hidradenocarcinoma, S43

Hidradenoma, nodular, S43

Hidrocystoma, S46

Histiocytosis, Langerhans cell, immunohistochemical expression of fascin, a dendritic cell marker, 335

HLA-DQA1, and transfusion's effect on DNA profiling, 382 HMB-45, as marker in diagnosis of melanoma in cytologic prepara-

tions, 930
Hodgkin disease, in adult and juvenile groups from two different geographic regions of Brazil, characterization of clinicopathologic aspects and relationship with Epstein-Barr virus infection, 25

Human immunodeficiency virus, diagnostic tests, markers of disease progression, and response to therapy, \$26

Human papillomavirus

high-risk, DNA ploidy measurement on liquid-based smears showing conflicting results between cytology and testing for, 708

reprocessing unsatisfactory ThinPrep cervicovaginal specimens with and without glacial acetic acid, efficacy of, effect on clinical follow-up and Hybrid Capture II testing for, 727

Human tissues, analysis of molecular quality of, an experience from Cooperative Human Tissue Network, 733

Hürthle cell lesions, of thyroid

molecular mutations in, S121

RET and cytokeratin 19 immunostaining for, 165, 186 Hybrid Capture II

DNA ploidy measurement on liquid-based smears, showing conflicting results between cytology and high-risk human papillomavirus typing, usefulness of, 708

reprocessing unsatisfactory ThinPrep cervicovaginal specimens with and without glacial acetic acid, efficacy of, effect on clinical follow-up and human papillomavirus testing by,

Hyperparathyroidism, brown tumor in, S65

he-

n

el-

ar-

y

a of

of

ara-

rus

3

ns

n

om

on-

ns

n

ology

IDEF3 process schematic, in Pap test turnaround time improvement, 527

IgH gene rearrangement, in CD5+ follicular lymphoma, 589 Image analysis, cyclooxygenase 2 expression in pancreatic adenocarcinoma and pancreatic intraepithelial neoplasms, immunohistochemical analysis with automated cellular imaging, 194

Image cytometry, DNA ploidy measurement on liquid-based smears, showing conflicting results between cytology and high-risk human papillomavirus typing, usefulness of, 708

Immature reticulocyte fraction, usefulness of reports to clinicians, 787

IMMULITE 2000 automated analyzer, performance characteristics of four immunoassays for antiepileptic drugs on the, 124 Immunoassay

for antiepileptic drugs, performance characteristics of four, on the IMMULITE 2000 automated analyzer, 124 cardiac marker measurement, 354

multiplexed fluorescent microsphere, in cytokine response determination, 346

Immunocytochemistry, five antibodies as markers in diagnosis of melanoma in cytologic preparations, comparison of, 930 Immunodeficiency diseases

cytokine production in, 346

human immunodeficiency virus, diagnostic tests, markers of disease progression, and response to therapy, S26

Immunoglobulin light chain, surface, lack of expression of, by flow cytometric immunophenotyping, in diagnosis of peripheral B-cell lymphoma, 229

Immunohistochemistry

E-cadherin

expression correlating with primary breast carcinoma infiltration pattern and type of systemic metastases, 425 paranuclear, in gastric adenocarcinoma, 887

CD5 expression in mantle cell lymphoma, 216

CD5+ follicular lymphoma, a clinicopathologic study of three cases, 589

chronic inactive gastritis, and coccoid Helicobacter pylori, in patients treated for gastroesophageal reflux disease or with H pylori eradication therapy, 719

clusterin as widely expressed in systemic anaplastic large cell lymphoma, but fails to differentiate primary from secondary cutaneous anaplastic large cell lymphoma, 773

cyclooxygenase 2 expression in pancreatic adenocarcinoma and pancreatic intraepithelial neoplasms, immunohistochemical analysis with automated cellular imaging, 194

fascin expression in Langerhans cell histiocytosis, 335 gene amplification and protein overexpression of c-erb-b2 in Barrett carcinoma and its precursor lesions, 60

HER-2/neu assay sensitivity and scoring on formalin-fixed and paraffin-processed cell lines and breast tumors, comparative study involving results from laboratories in 21 countries, 408

HER-2/neu overexpression in invasive breast carcinoma, interobserver reproducibility of, using DAKO HercepTest, 693

high-affinity melatonin receptors (MT1), differential expression of, in normal and malignant breast tissue, 451

hormonal receptors expression in epithelial cells of mammary phyllodes tumors correlates with pathologic grade of tumor, multicenter study of 143 cases, 522

MUC1 expression is correlated with nuclear grade and tumor progression in pT1 renal clear cell carcinoma, 47

p53 and Ki-67 analysis for preoperative diagnosis of extremely well-differentiated gastric adenocarcinoma, 683

peripheral T-cell lymphoma, arising in the liver, 574

polyclonal anti-PSA is more sensitive but less specific than monoclonal anti-PSA, 202

sea urchin fascin homolog and heat shock protein 47, as novel epithelial and novel stromal marker of pancreatic ductal adenocarcinoma, identified by global expression microarrays, validation of, 52

standardization of clinical, 669

thyroid transcription factor-1 and hepatocyte antigen, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

tissue array technology for testing interlaboratory and interobserver reproducibility of estrogen receptor analysis in large multicenter trial, 675

Whipple disease diagnosis by, sensitive and specific method for detecting Tropheryma whipplei in paraffin embedded

Immunophenotyping

cytologic lymphocyte-associated antigen expression in pulmonary lymphomatoid granulomatosis, 391

by flow cytometry

CD117 and CD11b expression in bone marrow can differentiate acute promyelocytic leukemia from recovering benign myeloid proliferation, 31

decision-support system for, 567

malignant epithelial cells in effusions detected by, 85 of small B-cell neoplasms in primary lymph node and concurrent blood or marrow samples, comparison of, 758 surface immunoglobulin light chain, lack of expression by, in diagnosis of peripheral B-cell lymphoma, 229

Impedance platelet counts, platelet counting by Coulter LH 750, Sysmex XE 2100, and Advia 120, comparative analysis using RBC/platelet ratio method, 235

Imprint smears, intraoperative cytology as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in parathyroid region, 895

Inflammation, validation of Diesse Mini-Ves erythrocyte sedimentation rate analyzer using Westergren ESR method, in patients with systemic inflammatory conditions, 11, 14

Informatics. See also Computers data integration in laboratory reports, an example of kidney

stone reporting, 179

training in pathology residency programs, 172 Information for Authors, 141

In Memoriam

Victor (Vic) H. Muller, 468

In situ hybridization, Hodgkin disease in adult and juvenile groups from two different geographic regions of Brazil, characterization of clinicopathologic aspects and relationship with Epstein-Barr virus infection, 25

Interlaboratory reproducibility, of immunohistochemical estrogen receptor analysis, tissue array technology for testing, 675

Interobserver reproducibility, of immunohistochemical estrogen receptor analysis, tissue array technology for testing, 675

Intraoperative consultation, cytology as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in parathyroid region, 895

Iron overload, hepatic, role of liver biopsy in diagnosis of, in the era of genetic testing, 73

K

Ki-67, in immunohistochemical analysis for preoperative diagnosis of extremely well-differentiated gastric adenocarcinoma, usefulness of, 683

Kidney

data integration in laboratory reporting, an example of kidney stone reporting, 179

renal cell carcinoma

comparison of standardized and nonstandardized nuclear grade to predict outcome among 2,042 patients, 827, 877 frozen section evaluation of parenchymal margins in

nephron-sparing surgery, potential pitfalls of, 903

MUC1 expression is correlated with nuclear grade and tumor progression in pT1 clear cell, 47

thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, adrenal cortical carcinoma and, comparison of, 911 renal osteodystrophy, S64

KIT (CD117), testing for in gastrointestinal stromal tumors, standardization of, 163, 669

ı

Langerhans cell histiocytosis, immunohistochemical expression of fascin, a dendritic cell marker, 335

Larynx, supraglottic, expression of CD44s and CD44v6 isoforms in squamous cell carcinoma of the, clinicopathologic significance of, 67

Latex agglutination test, Oxoid PBP2', for rapid identification of methicillin-resistant Staphylococcus aureus in blood cultures, practical therapeutic application of, 287

Leukemia

acute promyelocytic, CD117 and CD11b expression in bone marrow can differentiate recovering benign myeloid proliferation from, 31

CD33 intensity differences between various myeloid neoplasms, 560

chronic neutrophilic, expression of μ-BCR-ABL transcripts in, 842

Leukocyte differential count reports, usefulness to clinicians of, 787 Leukocyte-reduced transfusions, in cardiac surgery, results of an implementation trial, 376

Ligase chain reaction, for Mycobacterium tuberculosis diagnosis, S7

Ligation-mediated polymerase chain reaction, for *Mycobacterium* tuberculosis strain typing, S14

Light chain, surface immunoglobulin, lack of expression of, by flow cytometric immunophenotyping, in diagnosis of peripheral B-cell lymphoma, 229

Liposome-encapsulated hemoglobin, as blood substitute, S77 Liquid-based smears

DNA ploidy measurement on, showing conflicting results between cytology and high-risk human papillomavirus typing, usefulness of, 708

location-guided screening in, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

malignant melanoma cytopathology, in conventional smears and, 435

Liver. See also Hepatitis

biopsy's role in diagnosis of hepatic iron overload in the era of genetic testing, 73

hepatocellular carcinoma, thyroid transcription factor-1 and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of metastatic adenocarcinoma, renal cell carcinoma, adrenal cortical carcinoma and, comparison of, 911

M

M:

M:

Ma

peripheral T-cell lymphoma arising in the, 574

Location-guided screening, of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

Logistic regression, risk assessment in localized primary cutaneous melanoma, Southwest Oncology Group study evaluating nine factors and test of Clark logistic regression model, 489, 504

Loss of heterozygosity, molecular mutations in thyroid carcinogenesis, S116

Löwenstein-Jensen medium, for recovery of mycobacteria from clinical specimens, comparison with BACTEC 960 Mycobacteria Indicator Tube system, 542

Lung cancer, O-glycosylation pattern differences between squamous cell carcinoma and adenocarcinoma, 749

Lungs, pulmonary lymphomatoid granulomatosis, cytologic lymphocyte-associated antigen expression in, 391

Lymph nodes

immunophenotypes of small B-cell neoplasms in primary, and concurrent blood or marrow samples, comparison of, 758

terminal deoxynucleotidyl transferase-positive lymphoid cells in reactive, from children with malignant tumors, incidence, distribution pattern, and immunophenotype in 26 patients, 248

Lymphocyte-associated antigens, cytologic, expression in pulmonary lymphomatoid granulomatosis, 391

Lymphoid aggregates, benign, and bone marrow lesions of systemic mastocytosis, 242

Lymphoma

anaplastic large cell, clusterin as widely expressed in systemic, but fails to differentiate primary from secondary cutaneous, 773

CD5+ follicular, a clinicopathologic study of three cases, 589 composite angioimmunoblastic T-cell and diffuse large B-cell, case report and review of the literature, 848

follicula

follicular pattern of bone marrow involvement by, 780 primary cutaneous, t(14;18) and bcl-2 expression are present in a subset of, association with lower grade, 765

mantle cell

ı

a-

d,

11

IS

1-

in

nic

but

13

nt

logy

CD5-, 216

interphase FISH for diagnosis of t(11;14)(q13;q32) on skin lesions of, 832

non-Hodgkin, anaplastic lymphoma kinase expression in, biological, diagnostic, and clinical implications, S81

peripheral B-cell, surface immunoglobulin light chain expression, lack of, by flow cytometric immunophenotyping, in diagnosis of, 229

peripheral T-cell

apoptotic rate in, study using tissue microarray with validation on full tissue sections, 328

arising in the liver, 574

small B-cell, immunophenotypes of small B-cell neoplasms in primary lymph node and concurrent blood or marrow samples, comparison of, 758

Lymphomatoid granulomatosis, pulmonary, cytologic lymphocyteassociated antigen expression in, 391

M

Mantle cell lymphoma

CD5-, 216

interphase FISH for diagnosis of t(11;14)(q13;q32) on skin lesions of, 832

Mantoux (tuberculin) test, S4

Marathon running, effects on hematologic and biochemical laboratory parameters, including cardiac markers, 856

Marrow. See Bone marrow

Mass spectrometry, SELDI affinity, proteomic evaluation of archival cytologic material using, potential for diagnostic applications, 825, 870

Mast cells, bone marrow lesions of systemic mastocytosis, immunohistochemical study of, 242

Mastocytosis, bone marrow lesions of systemic, immunohistochemical study of, 242

Maxillofacial bones, benign fibro-osseous diseases of the, review and differential diagnosis, \$50

Mediastinum, nonteratomatous germ cell tumors of the, fine-needle aspiration biopsy of, 418

Meeting Minutes

Academy of Clinical Laboratory Physicians and Scientists (ACLPS), 599

Melan-A, as marker in diagnosis of melanoma in cytologic preparations, 930

Melanoma

cutaneous, risk assessment in localized primary, Southwest Oncology Group study evaluating nine factors and test of Clark logistic regression model, 489, 504

five antibodies as markers in diagnosis of, in cytologic preparations, comparison of, 930

malignant, cytopathology of, in conventional and liquid-based smears, 435

proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 870

Melatonin receptors, high-affinity (MT1), differential expression of, in normal and malignant breast tissue, 451 Mesothelium, malignant epithelial cells in effusions, flow cytometric immunophenotyping for detection of, 85

Metastasis, E-cadherin expression correlating with primary breast carcinoma infiltration pattern and type of systemic metastases. 425

Methicillin-resistant Staphylococcus aureus, in blood cultures, Oxoid PBP2' latex agglutination test for rapid identification of, practical therapeutic application of, 287

Microarrays, global expression, novel epithelial and novel stromal marker of pancreatic ductal adenocarcinoma identified by, immunohistochemical validation of, 52

Microcystic adnexal carcinoma, S36

Microphthalmia transcription factor, as marker in diagnosis of melanoma in cytologic preparations, 930

Molecular beacon sequence analysis, for Mycobacterium tuberculosis susceptibility testing, S11

Molecular diagnosis

in HIV infection, S26

of Mycobacterium tuberculosis, \$3

Monoclonal antibody therapy, CD33 intensity differences between various myeloid neoplasms, 560

Monomorphic adenoma, S103

MUC1, expression is correlated with nuclear grade and tumor progression in pT1 renal clear cell carcinoma, 47

Mucin

O-glycosylation pattern differences between lung squamous cell carcinoma and adenocarcinoma, 749

p53 and Ki-67 immunohistochemical analysis for preoperative diagnosis of extremely well-differentiated gastric adenocarcinoma, usefulness of, 683

reliability of diagnosis of mucinous lesions of the breast by core needle biopsy, 82

Mucoceles, reliability of diagnosis of mucinous lesions of the breast by core needle biopsy, 82

Mucoepidermoid carcinoma

high-grade, S110

low-grade, \$106

Multidrug resistance, in *Mycobacterium tuberculosis* diagnosis, S9 Multiple endocrine neoplasia (MEN) syndrome, S122

Multiplexed fluorescent microsphere immunoassay, in cytokine response determination, 346

Mutations, molecular, in thyroid carcinogenesis, S116

Mycobacterium tuberculosis diagnosis and susceptibility testing, S3 rapid and accurate identification of, by sequencing hypervariable regions of the 16S ribosomal RNA gene, 796

recovery from clinical specimens, BACTEC 960 Mycobacteria Indicator Tube system compared with Löwenstein-Jensen medium, 542

Mycology

anti-gp43 antibodies in cerebrospinal fluid of patients with central nervous system involvement by paracoccidioidomycosis, 864

osseous blastomycosis, delayed diagnosis in two patients following environmental exposure in nonendemic areas, 536

status of laboratory practice and need for continuing education in medical, evaluation of the, 167, 278

Myelodysplasia, valproate-associated dysmyelopoiesis in the aged, 225

Myelodysplastic syndrome, CD33 intensity differences between various myeloid neoplasms, 560 Myeloid neoplasms, CD33 intensity differences between various, 560

Myeloproliferative disorders, CD33 intensity differences between various myeloid neoplasms, 560

Mylotarg, CD33 intensity differences between various myeloid neoplasms, 560

Myocardial infarction

cardiac marker measurement, 354

cardiac markers for, a brief review, S93

Myoepithelioma, S106

Myoglobin

cardiac marker measurement, 354 as myocardial infarction marker, S93

N

Natriuretic peptide, B-type, as myocardial infarction marker, S97 Needle biopsy. *See also* Core needle biopsy; Fine-needle aspiration biopsy

carcinoma extent in prostate tissue in prediction of whole gland tumor volume in a screening population, 442

Neoplasms. See also sites and types by name

proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 825, 870

Nephrectomy

comparison of standardized and nonstandardized nuclear grade of renal cell carcinoma to predict outcome among 2,042 patients, 827, 877

nephron-sparing surgery, frozen section evaluation of parenchymal margins in, potential pitfalls of, 903

Nephron-sparing surgery, frozen section evaluation of parenchymal margins in, potential pitfalls of, 903

Neuroparacoccidioidomycosis, anti-gp43 antibodies in cerebrospinal fluid of patients with central nervous system involvement by, 864

News and Notices, 146, 474, 795

NF1 gene, muscle-invasive transitional cell carcinoma of the bladder, kinetic profiles by topographic compartments in, role of TP53 and, 93

Northern blot analysis, molecular quality of human tissues, an experience from the Cooperative Human Tissue Network, 733

Nucleic acids, analysis of molecular quality of human tissues, an experience from Cooperative Human Tissue Network, 733

Nucleic acid sequencing, in Mycobacterium species identification, S10

(

O-glycosylation, pattern differences between lung squamous cell carcinoma and adenocarcinoma, 749

Oligodendroglioma, chromosome 1p allelic loss, in differentiating from dysembryoplastic neuroepithelial tumors, 512

Oncocytic neoplasms, S105

Oncogenes, molecular mutations in thyroid carcinogenesis, S116

Optical platelet counts, platelet counting by Coulter LH 750, Sysmex XE 2100, and Advia 120, comparative analysis using RBC/platelet ratio method, 235

Osseous blastomycosis, delayed diagnosis in two patients following environmental exposure in nonendemic areas, 536

Osseous dysplasia, S56

Ossifying fibroma, S54

Osteoblastoma, S62

Osteodystrophy, renal, S64

Osteoid osteoma, S62

Osteoma, osteoid, S62

Osteosarcoma, low-grade, S61

Ovarian carcinoma, CAS (cellular apoptosis susceptibility) gene expression in, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922

Oxoid PBP2' latex agglutination test, for rapid identification of methicillin-resistant *Staphylococcus aureus* in blood cultures, practical therapeutic application of, 287

F

p24 antigen test, S28

p53

CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with 20q13.2 copy number, cyclin D1, Rb protein expression, and, 922

in immunohistochemical analysis for preoperative diagnosis of extremely well-differentiated gastric adenocarcinoma, usefulness of, 683

Paget disease of bone, S60

Pancreas

adenocarcinoma of

ductal, novel epithelial and novel stromal marker of, identified by global expression microarrays, immunohistochemical validation of, 52

and pancreatic intraepithelial neoplasms, cyclooxygenase 2 expression in, immunohistochemical analysis with automated cellular imaging, 194

carcinoma of, CD97, but not closely related EGF-TM7 family member EMR2, is expressed in, 699

cystadenoma of, unilocular acinar cell, 211

Papanicolaou smear

American Society for Colposcopy and Cervical Pathology (ASCCP) patient management guidelines, Pap test specimen adequacy and quality indicators, 714

dual sampling of endocervix, and its impact on AutoCyte Prep endocervical adequacy, 41

improving turnaround time, using external benchmark data and engineering process improvement tools, 527

location-guided screening of liquid-based cervical cytology specimens, a potential improvement in accuracy and productivity is demonstrated in a preclinical feasibility trial, 399

Paracoccidioidomycosis, anti-gp43 antibodies in cerebrospinal fluid of patients with central nervous system involvement by, 864

Parafollicular cells (C cells), tumors of, S121

Parathyroid gland, intraoperative cytology as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in region of, 895

(C)

Penicillin, cross-reactivity of cefotetan and ceftriaxone antibodies with. 256

Perfluorocarbon emulsions, in blood substitutes, \$71

Periostitis, proliferative, S63

ng

ri-

ni-

2

V

p

nd

ĺ,

luid

864

stic

tis-

nology

Peripheral blood, immunophenotypes of small B-cell neoplasms in primary lymph nodes and concurrent samples of marrow or, comparison of, 758

Phenobarbital, immunoassays for antiepileptic drugs, performance characteristics of four, on the IMMULITE 2000 automated analyzer, 124

Phenotypic assays, for Mycobacterium tuberculosis susceptibility testing, S12

Phenytoin, immunoassays for antiepileptic drugs, performance characteristics of four, on the IMMULITE 2000 automated analyzer, 124

Phyllodes tumors, hormonal receptors expression in epithelial cells of mammary, correlates with pathologic grade of tumor, multicenter study of 143 cases, 522

Pilomatrical carcinoma, S42

Pilomatricoma, S41

Platelet counting

by Coulter LH 750, Sysmex XE 2100, and Advia 120, comparative analysis using RBC/platelet ratio method, 235 usefulness of reports to clinicians, 787

Pleomorphic adenoma, S102

Point-of-care testing, with cardiac markers, \$98

Polymarker assay, and transfusion's effect on DNA profiling, 382 Polymerase chain reaction

gene amplification and protein overexpression of c-erb-b2 in Barrett carcinoma and its precursor lesions, 60

molecular quality of human tissues, an experience from the Cooperative Human Tissue Network, 733

mycobacteria, rapid and accurate identification by sequencing hypervariable regions of the 16S ribosomal RNA gene, 796 for Mycobacterium tuberculosis diagnosis, S5

single-tube multiplex, for detection of common alpha-thalassemia genotypes in a clinical laboratory, evaluation of, 18

in situ, chronic neutrophilic leukemia, expression of μ-BCR-ABL transcripts in, 842

and surface immunoglobulin light chain lack of expression by flow cytometric immunophenotyping, in diagnosis of peripheral B-cell lymphoma, 229

transfusion's effect on DNA profiling studied by, 382

Porocarcinoma, eccrine, S38

Poroma, eccrine, S38

Precursor B cells, terminal deoxynucleotidyl transferase expression in reactive lymph nodes from children with malignant tumors, 248

Process improvement, in Pap test turnaround time improvement, 527

Progesterone receptor, expression in epithelial cells of mammary phyllodes tumors correlates with pathologic grade of tumor, multicenter study of 143 cases, 522

Proliferation, muscle-invasive transitional cell carcinoma of the bladder, kinetic profiles by topographic compartments in, role of TP53 and NF1 genes, 93

Prostate carcinoma, carcinoma extent in needle biopsy tissue in prediction of whole gland tumor volume in a screening population, 442

Prostate-specific antigen

carcinoma extent in prostate needle biopsy tissue in prediction of whole gland tumor volume in a screening population, 442

polyclonal anti-PSA is more sensitive but less specific than monoclonal anti-PSA, implications for diagnostic prostatic pathology, 202

Protein fingerprint, proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 825, 870

Proteomics, archival cytologic material using SELDI affinity mass spectrometry, evaluation of, potential for diagnostic applications, 825, 870

Proton pump inhibitors, chronic inactive gastritis, and coccoid Helicobacter pylori, in patients treated for gastroesophageal reflux disease or with H pylori eradication

Pulmonary lymphomatoid granulomatosis, cytologic lymphocyteassociated antigen expression in, 391

Q-Probes, as benchmark for improving Pap test turnaround time, 527

Quality assurance

anticardiolipin antibody assays for detecting antiphospholipid antibodies, assessing usefulness of, 548

American Society for Colposcopy and Cervical Pathology (ASCCP) patient management guidelines, Pap test specimen adequacy and quality indicators, 714

decision-support system for flow cytometry immunophenotyp-

molecular quality of human tissues, an experience from the Cooperative Human Tissue Network, 733

tissue array technology for testing interlaboratory and interobserver reproducibility of immunohistochemical estrogen receptor analysis in large multicenter trial, 675

R

ras mutations, in thyroid carcinogenesis, S116

Reactive mesothelial cells, proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 870

Reference values, marathon runners' results as outside standard ranges for, 856

Reporting, data integration in, an example of kidney stone, 179 Reptilase time, fibrinogen level associated with prolonged, 263 Residency programs, informatics training in pathology, 172

Resiniferatoxin, vanilloid receptors in health and disease, 110 Restriction fragment length polymorphism

for Mycobacterium tuberculosis strain typing, S13

transfusion's effect on DNA profiling studied by, 382 Reticulocyte count reports, usefulness to clinicians of, 787

RET immunostaining, in follicular lesions of thyroid, interpretation of, 165, 186

Retinoblastoma protein, CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with

20q13.2 copy number and cyclin D1, p53 expression, and, 922

ret mutations, in thyroid carcinogenesis, \$116

ret-ptc translocation, in thyroid carcinogenesis, S116

Risk assessment, in localized primary cutaneous melanoma, Southwest Oncology Group study evaluating nine factors and test of Clark logistic regression model, 489, 504

RNA

analysis of molecular quality of human tissues, an experience from Cooperative Human Tissue Network, 733

rapid and accurate identification of mycobacteria, by sequencing hypervariable regions of the 16S ribosomal RNA gene, 796

5

S-100 protein, as marker in diagnosis of melanoma in cytologic preparations, 930

Salivary duct, carcinoma of, S111

Salivary glands, fine-needle aspiration biopsy of neoplasms of, with emphasis on differential diagnosis, \$100

Sarcoma, proteomic evaluation of archival cytologic material using SELDI affinity mass spectrometry, potential for diagnostic applications, 870

Scrape cytology smears, intraoperative cytology as increasing diagnostic accuracy of frozen sections for confirmation of various tissues in parathyroid region, 895

Screening, carcinoma extent in prostate needle biopsy tissue in prediction of whole gland tumor volume in a screening population, 442

Sea urchin fascin homolog, as novel epithelial marker of pancreatic ductal adenocarcinoma, identified by global expression microarrays, immunohistochemical validation of, 52

Seminal vesicles, PSA immunoreactivity in benign epithelium of, 202

Serous effusions, malignant epithelial cells in, flow cytometric immunophenotyping for detection of, 85

Shiga toxins, in enterohemorrhagic Escherichia coli-induced hemolytic uremic syndrome, 323, 364

Sialadenitis, chronic, S112

Sialolithiasis, chronic, S112

16S ribosomal RNA gene, mycobacteria, rapid and accurate identification by sequencing hypervariable regions of the, 796

Skin cancer

clusterin as widely expressed in systemic anaplastic large cell lymphoma, but fails to differentiate primary from secondary cutaneous anaplastic large cell lymphoma, 773 cutaneous adnexal neoplasms, S33

risk assessment in localized primary cutaneous melanoma, Southwest Oncology Group study evaluating nine factors and test of Clark logistic regression model, 489, 504

t(11;14)(q13;q32) on skin lesions of mantle cell lymphoma, interphase FISH for diagnosis of, 832

t(14;18) and bcl-2 expression are present in a subset of primary cutaneous follicular lymphoma, association with lower grade, 765

Small intestine, histologic follow-up of people with celiac disease on gluten-free diet, slow and incomplete recovery, 459

Sodium valproate, valproate-associated dysmyelopoiesis in the aged, 225

Specimen adequacy

analysis of molecular quality of human tissues, an experience from Cooperative Human Tissue Network, 733

American Society for Colposcopy and Cervical Pathology (ASCCP) patient management guidelines, Pap test quality indicators and, 714

reprocessing unsatisfactory ThinPrep cervicovaginal specimens with and without glacial acetic acid, efficacy of, effect on Hybrid Capture II human papillomavirus testing and clinical follow-up, 727

T

T

T

Spiradenocarcinoma, eccrine, S34

Spiradenoma, eccrine, S34

Spironolactone, digoxin-like immunoreactive substances, impact on therapeutic drug monitoring of digoxin, 132

Spoligotyping, for Mycobacterium tuberculosis strain typing, S14
Sports medicine, marathon running's effects on hematologic and
biochemical laboratory parameters, including cardiac
markers, 856

Standardization of laboratory tests, 167, 669

Staphylococcus aureus, methicillin-resistant, in blood cultures, Oxoid PBP2' latex agglutination test for rapid identification of, practical therapeutic application of, 287

Steatohepatitis, role of liver biopsy in diagnosis of hepatic iron overload in the era of genetic testing, 73

Stem cell factor, in bone marrow lesions of systemic mastocytosis, 242 Stromal tumors, gastrointestinal, testing for KIT (CD117) in, 163

Surface immunoglobulin light chain, lack of expression of, by flow cytometric immunophenotyping, in diagnosis of peripheral B-cell lymphoma, 229

Syringoma, S36 chondroid, S39

T

Terminal deoxynucleotidyl transferase

terminal deoxynucleotidyl transferase-mediated dUTP nick-end labeling, in peripheral T-cell lymphoma apoptotic rate study, 328

terminal deoxynucleotidyl transferase-positive lymphoid cells in reactive lymph nodes from children with malignant tumors, incidence, distribution pattern, and immunophenotype in 26 patients, 248

alpha-Thalassemia, single-tube multiplex polymerase chain reaction, for detection of common genotypes in a clinical laboratory, evaluation of, 18

Therapeutic drug monitoring

of digoxin, impact of endogenous and exogenous digoxin-like immunoreactive substances on, 132

performance characteristics of four immunoassays for antiepileptic drugs, on the IMMULITE 2000 automated analyzer, 124

ThinPrep, reprocessing unsatisfactory specimens with and without glacial acetic acid, efficacy of, effect on Hybrid Capture II human papillomavirus testing and clinical follow-up, 727

Thrombin time, fibrinogen level associated with prolonged reptilase time but typically not with, 263

Thrombotic microangiopathy, gnotobiotic piglets developing after oral infection with enterohemorrhagic *Escherichia coli*, 323, 364

Thymus helper cytokines, multiplexed fluorescent microsphere immunoassay in analysis of, 346

Thyroid

on

on

242

ral

end

s in

OFS.

n 26

٠.

bo-

æ

out e II 27 ilase

hology

adequacy in fine-needle aspirates, evidence-based criteria for, 518 follicular lesions of, RET immunostaining in, 165, 186 molecular mutations in carcinogenesis of, S116

papillary carcinoma of, focal features of, in fine-needle aspiration material, are strongly associated with papillary carcinoma at resection, 208

Thyroid transcription factor-1, and hepatocyte antigen immunohistochemical analysis, in differential diagnosis of hepatocellular carcinoma, metastatic adenocarcinoma, renal cell carcinoma, and adrenal cortical carcinoma, comparison of, 911

Tissue analysis, of molecular quality of human tissues, an experience from Cooperative Human Tissue Network, 733

Tissue microarray

apoptotic rate in peripheral T-cell lymphoma, study using, with validation on full tissue sections, 328

for testing interlaboratory and interobserver reproducibility of immunohistochemical estrogen receptor analysis in large multicenter trial, 675

TP53 gene, muscle-invasive transitional cell carcinoma of the bladder, kinetic profiles-by topographic compartments in, role of NF1 and, 93

Training

in informatics, in pathology residency programs, 172

in new laboratory technologies, 167

status of laboratory practice and need for continuing education in medical mycology, 278

Transcription-mediated amplification assays, for Mycobacterium tuberculosis diagnosis, S7

Transfusion

blood substitutes' effect on, \$78

DNA profiling as not affected by, 382

leukocyte-reduced, in cardiac surgery, results of an implementation trial, 376

trk mutations, in thyroid carcinogenesis, S116

Tropheryma whipplei, immunohistochemical detection of, in paraffin embedded tissue, 742

Troponins

cardiac marker measurement, 354

as myocardial infarction markers, S93

t(11;14)(q13;q32) translocation, on skin lesions of mantle cell lymphoma, interphase FISH for diagnosis of, 832

t(14;18)(q32;q21) translocation

in CD5+ follicular lymphoma, 589

in a subset of primary cutaneous follicular lymphoma, association with lower grade, 765 Tuberculin (Mantoux) test, S4

Tuberculosis, advances in laboratory diagnosis and drug susceptibility testing for, S3

Tumor markers, RET and cytokeratin 19, in follicular lesions of thyroid, 165, 186

Tumors. See Neoplasms

Tumor suppressor genes, molecular mutations in thyroid carcinogenesis, \$117

20q13.2 copy number, CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with cyclin D1, p53, Rb protein expression, and, 922

Tyrosinase, as marker in diagnosis of melanoma in cytologic preparations, 930

V

Valproic acid, immunoassays for antiepileptic drugs, performance characteristics of four, on the IMMULITE 2000 automated analyzer, 124

Vanilloid receptors, in health and disease, 110

Viral load testing, for HIV, S29

von Willebrand disease, type 2N (Normandy), identification in Australia, a cross-laboratory investigation using different methods, 269

W

Warthin tumor, S104

Westergren ESR method, validation of Diesse Mini-Ves erythrocyte sedimentation rate analyzer using, in patients with systemic inflammatory conditions, 11, 14

Whipple disease, diagnosis by immunohistochemical methods, sensitive and specific method for detecting *Tropheryma whip*plei in paraffin embedded tissue, 742

Z

ZNF217 gene, CAS (cellular apoptosis susceptibility) gene expression in ovarian carcinoma, correlation with 20q13.2 copy number and cyclin D1, p53, and Rb protein expression, 922